



US00D633244S

(12) **United States Design Patent**
Kramer et al.

(10) **Patent No.:** **US D633,244 S**
(45) **Date of Patent:** **** Feb. 22, 2011**

(54) **LAMP HOUSING**

(76) Inventors: **Dagmar Bettina Kramer**, Zum
Langerhof 54, D-47475 Kamp-Lintfort
(DE); **Carsten Schaffarz**, Am Alten
Graben 10, D-47495 Rheinberg (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/325,374**

(22) Filed: **Sep. 30, 2008**

(30) **Foreign Application Priority Data**

Mar. 31, 2008 (EM) 000906235

(51) **LOC (9) Cl.** **26-03**

(52) **U.S. Cl.** **D26/80**

(58) **Field of Classification Search** D26/24,
D26/25, 80, 75-78; 362/240, 248, 217.01,
362/219, 223, 224, 217.1, 133

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D123,048 S * 10/1940 Doane D26/76
D123,049 S * 10/1940 Doane D26/76
D127,685 S * 6/1941 MacCarthy D26/78
D136,797 S * 12/1943 Mareck D26/76
2,341,895 A * 2/1944 Beck 362/221
D140,107 S * 1/1945 Lippincott D26/76
D150,830 S * 9/1948 Duepner D26/77
D205,192 S * 7/1966 Shearin D26/51
D239,780 S * 5/1976 Paulson D26/102
D312,319 S * 11/1990 Kunz D26/72
5,084,806 A * 1/1992 Nagai 362/214
D334,821 S * 4/1993 Morgan D26/28
D359,374 S * 6/1995 Weinstock D26/80
D373,000 S * 8/1996 Brady D26/68
D374,737 S * 10/1996 Can D26/80
5,624,178 A * 4/1997 Lee, Jr. 362/220
D384,763 S * 10/1997 Roorda D26/85
D397,818 S * 9/1998 Herst et al. D26/76
D476,102 S * 6/2003 Ciavolino D26/37
6,585,393 B1 * 7/2003 Brandes et al. 362/235

D520,667 S * 5/2006 Jae-Sung et al. D26/76

D563,002 S * 2/2008 Irizarry D26/37

D603,545 S * 11/2009 Levine D26/63

(Continued)

FOREIGN PATENT DOCUMENTS

DE 10343878 4/2005

(Continued)

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Andrew Wilford

(57) **CLAIM**

The ornamental design for a lamp housing, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the lamp housing according to the invention;

FIG. 2 is a top view of the lamp housing;



FIG. 3 is a bottom view of the lamp housing;

FIG. 4 is an end view of the lamp housing, both ends being identical;

FIGS. 5 and 6 are right- and left-hand side views of the lamp housing; and,

FIG. 7 is a view like FIG. 1 of another lamp housing according to the invention adapted to hold six rather than three lamps, the bottom, side, and end views of the FIG. 7 variant being identical to those of the FIG. 1 three-lamp lamp housing.

1 Claim, 4 Drawing Sheets



US D633,244 S

Page 2

U.S. PATENT DOCUMENTS				FOREIGN PATENT DOCUMENTS		
2005/0090124	A1 *	4/2005	Mohacsi et al. 439/35	WO	WO 9906759	2/1999
2007/0047229	A1 *	3/2007	Lee 362/237	WO	WO 2007030542	3/2007
2007/0177392	A1 *	8/2007	Grigorik 362/382	WO	WO 2008031860	3/2008
2008/0068834	A1 *	3/2008	Cunningham et al. 362/191	* cited by examiner		




FIG. 2




FIG. 3





FIG. 4




FIG. 5




FIG. 6




FIG. 7