



US00D633417S

(12) **United States Design Patent**
Najarro

(10) **Patent No.:** **US D633,417 S**
(45) **Date of Patent:** **** Mar. 1, 2011**

(54) **UNITARY TOWING HOOK**

(75) Inventor: **Marco A. Najarro**, San Jose, CA (US)

(73) Assignee: **Donna Medved**, San Jose, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/336,903**

(22) Filed: **May 12, 2009**

2,866,247 A *	12/1958	Clegg	294/82.2
2,905,997 A *	9/1959	Ramskill	294/82.22
3,179,376 A *	4/1965	Botten	254/401
3,358,857 A *	12/1967	Vogel et al.	414/292
3,575,458 A *	4/1971	Crook et al.	294/82.2
3,912,318 A *	10/1975	Engl	294/82.22
4,179,148 A	12/1979	Johnson		
D279,179 S *	6/1985	Landry, Jr.	D12/162
4,858,977 A *	8/1989	Mitchell	294/82.1
D354,429 S	1/1995	McNaughton		

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/317,598, filed on May 2, 2008, now Pat. No. Des. 598,817.

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/162**

(58) **Field of Classification Search** D8/367,
D8/354, 363, 370; 40/642.01; 211/59.1,
211/70.6; 248/220.41, 220.43, 222.12, 304,
248/489; D31/731; 294/82.17, 82.19, 131;
24/599.1, 600.9, 600.3, 600.8, 601.2, 265 CD;
D12/106, 199, 161, 162, 400, 420; 280/186,
280/402-405.1, 405.2, 407, 407.1, 416.2,
280/455.1, 491, 491.5, 511, 512, 513
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

231,381 A *	8/1880	Vare	278/113
314,867 A *	3/1885	Murphy	24/599.6
1,394,068 A *	10/1921	Cousins	294/82.22
1,435,587 A	11/1922	Crandall		
1,535,397 A *	4/1925	Buffington	280/493
1,657,260 A *	1/1928	Holt	294/82.16
D129,999 S *	10/1941	LeTourneau	D15/28
2,295,021 A *	9/1942	Weiss	280/506
2,493,282 A *	1/1950	Criswell	59/95
2,783,518 A *	3/1957	Anderson	294/82.22

(Continued)

Primary Examiner—Celia A Murphy

Assistant Examiner—John Windmuller

(74) *Attorney, Agent, or Firm*—Schneck & Schneck; Thomas Schneck

(57) **CLAIM**

I claim the design for a unitary towing hook, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a unitary towing hook in accordance with my design.

FIG. 2 is a forward end view of the design shown in FIG. 1.

FIG. 3 is a rearward end view of the design shown in FIG. 1.

FIG. 4 is a right side view of the design shown in FIG. 1.


FIG. 5 is a left side view of the design shown in FIG. 1.

FIG. 6 is a top view of the design shown in FIG. 1; and,

FIG. 7 is a bottom view of the design shown in FIG. 1.

The broken line showing of a spring in FIG. 6 forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D633,417 S

Page 2

U.S. PATENT DOCUMENTS							
D368,246	S	*	3/1996	Hinnant et al.	D12/162	
D390,096	S		2/1998	Thompson			
D407,298	S		3/1999	Hemphill			
6,000,108	A		12/1999	Roan			
6,019,408	A		2/2000	Bennett, Jr.			
D431,180	S		9/2000	Gray, Jr.			
6,361,062	B1		3/2002	Edin et al.			
6,712,379	B2	*	3/2004	Graham et al.	280/480	
D502,089	S		2/2005	Hung			
D535,111	S		1/2007	Giampavolo			
D583,654	S	*	12/2008	Uehara	D8/367	
D610,494	S	*	2/2010	Tambornino	D12/162	
2002/0152593	A1	*	10/2002	Hong	24/599.1	
2004/0083710	A1	*	5/2004	Hungerford	59/93	
2004/0090041	A1		5/2004	Lenzen, Jr. et al.			
2004/0239077	A1		12/2004	Terpsma et al.			
2005/0017527	A1	*	1/2005	Smetz	294/82.1	
2005/0257445	A1	*	11/2005	Neef et al.	52/125.2	
2006/0087101	A1		4/2006	Yon			
2007/0102898	A1		5/2007	Schulze			
2007/0126251	A1		6/2007	Olson et al.			
2008/0315604	A1	*	12/2008	Fredriksson	294/74	
2010/0117386	A1	*	5/2010	Ying	294/1.1	
							* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7