



US00D633418S

(12) **United States Design Patent**  
**Frei et al.**

(10) **Patent No.:** **US D633,418 S**  
(45) **Date of Patent:** **\*\* Mar. 1, 2011**

(54) **REAR PORTION OF A VEHICLE, TOY,  
AND/OR REPLICAS THEREOF**

D627,273 S \* 11/2010 Bauer et al. .... D12/164

\* cited by examiner

(75) Inventors: **Michael Frei**, Sindelfingen (DE); **Klaus Frenzel**, Winnenden (DE); **Hans-Dieter Futschik**, Gechingen (DE); **Hubert Lee**, Irvine, CA (US); **Robert Lesnik**, Leonberg (DE); **Gorden Wagener**, Stuttgart (DE)

*Primary Examiner*—Melody N Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(73) Assignee: **Daimler AG**, Stuttgart (DE)

(57) **CLAIM**

The ornamental design for a rear portion of a vehicle, toy, and/or replicas thereof, as shown and described.

(\*\*) Term: **14 Years**

#### DESCRIPTION

(21) Appl. No.: **29/371,037**

This application contains subject matter related to the following co-pending U.S. design patent applications:

(22) Filed: **Sep. 23, 2010**

Application Ser. No. 29/371,036, filed herewith and entitled “Vehicle, Toy, and/or Replicas thereof”;

(30) **Foreign Application Priority Data**

Application Ser. No. 29/371,038, filed herewith and entitled “Vehicle, Toy, and/or Replicas Thereof”;

Mar. 24, 2010 (EP) ..... 001203939-0004

Application Ser. No. 29/371,034, filed herewith and entitled “Rear Portion of a Vehicle, Toy, and/or Replicas”;

(51) **LOC (9) Cl.** ..... **12-16**

Application Ser. No. 29/371,035, filed herewith and entitled “Rear Portion of a Vehicle, Toy, and/or Replicas thereof”;

(52) **U.S. Cl.** ..... **D12/164**

Application Ser. No. 29/311,619, filed May 1, 2009; and

(58) **Field of Classification Search** ..... D12/86,  
D12/90–92, 88, 164; D21/424, 433, 434;  
296/181.1, 181.5

Application Serial No. 29/311,620, filed May 1, 2009.

See application file for complete search history.

FIG. 1 is a left perspective view of a rear portion of a vehicle, toy, and/or replicas thereof according to our design, the right perspective view being mirror symmetrical;

(56) **References Cited**

FIG. 2 is a front view thereof;

#### U.S. PATENT DOCUMENTS

FIG. 3 is a left side view thereof;

D499,358 S 12/2004 Pfeiffer et al.

FIG. 4 is a right side view thereof; and,

D569,768 S \* 5/2008 Bauer et al. .... D12/92

FIG. 5 is a top view thereof.

D588,499 S \* 3/2009 Pfeiffer ..... D12/92

The broken lines are for illustrative purposes only and form no part of the claimed design.


D596,078 S \* 7/2009 Pfeiffer et al. .... D12/92

D596,079 S \* 7/2009 Pfeiffer et al. .... D12/92

D600,171 S \* 9/2009 Frenzel et al. .... D12/164

D601,455 S \* 10/2009 Pfeiffer et al. .... D12/92

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5