



US00D633435S

(12) **United States Design Patent**  
**Shan et al.**

(10) **Patent No.:** **US D633,435 S**  
(45) **Date of Patent:** **\*\* Mar. 1, 2011**

(54) **TIRE**  
(75) Inventors: **Guoling Shan**, Weihai Shandong (CN);  
**Bo Wang**, Weihai Shandong (CN); **Qian Zheng**, Weihai Shandong (CN)  
(73) Assignee: **Triangle Tyre Co., Ltd.**, Shandong (CN)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/360,235**  
(22) Filed: **Apr. 22, 2010**

D168,714 S 1/1953 Schlichtmann  
D172,996 S 9/1954 Smith  
D251,722 S 5/1979 Tamura et al.  
D261,256 S 10/1981 Yamazaki et al.  
D284,649 S 7/1986 Kwee et al.  
D287,837 S 1/1987 Shintomi  
D336,269 S 6/1993 Hinrichsen et al.  
D367,448 S \* 2/1996 Baus et al. .... D12/579  
D371,097 S 6/1996 Fukushima  
D384,622 S 10/1997 Scheuren et al.

**Related U.S. Application Data**

(62) Division of application No. 29/282,998, filed on Aug. 3, 2007.

(Continued)

**OTHER PUBLICATIONS**

Firestone Super Deep Tread Loader Tire; 2005 Tread Design Guide, p. 148, row 4, item 4.\*

(Continued)

*Primary Examiner*—Garth Rademaker  
(74) *Attorney, Agent, or Firm*—Greenberg Traurig, LLP

(30) **Foreign Application Priority Data**

Feb. 5, 2007 (CN) ..... 2007 3 0014341  
Feb. 5, 2007 (CN) ..... 2007 3 0014342  
Feb. 5, 2007 (CN) ..... 2007 3 0014343  
Feb. 5, 2007 (CN) ..... 2007 3 0014344  
Feb. 5, 2007 (CN) ..... 2007 3 0014345  
Feb. 5, 2007 (CN) ..... 2007 3 0014346  
Feb. 5, 2007 (CN) ..... 2007 3 0014347  
Feb. 5, 2007 (CN) ..... 2007 3 0014348

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

(51) **LOC (9) Cl.** ..... **12-15**  
(52) **U.S. Cl.** ..... **D12/599**  
(58) **Field of Classification Search** ..... 1/500,  
1/501, 502, 533, 539, 543, 544, 547, 548,  
1/551, 552, 554, 557-559, 563, 564, 566,  
1/568, 574, 578, 579, 582, 583, 586, 587,  
1/589, 592-594, 599, 600, 602, 900, 901;  
D21/563, 779; 152/209.1, 209.12, 209.13,  
152/209.14, 209.15, 209.28  
See application file for complete search history.


**DESCRIPTION**

FIG. 1 is a front view of a tire, in accordance with our new design;  
FIG. 2 is a perspective view thereof;  
FIG. 3 is a side view thereof, the opposite side elevation view being identical thereto; and,  
FIG. 4 is a partial front elevation view thereof, showing section 4—4 of FIG. 1 at an enlarge scale.  
The broken lines depict environmental subject matter only and form no part of the claimed design.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

D112,993 S 1/1939 Hardeman  
D157,953 S 4/1950 Hawkinson

**1 Claim, 4 Drawing Sheets**



# US D633,435 S

Page 2

## U.S. PATENT DOCUMENTS

D389,104 S \* 1/1998 Morgan ..... D12/579  
D390,818 S 2/1998 De Barsy et al.  
D391,202 S 2/1998 Baus  
D393,236 S 4/1998 Rowe  
D397,066 S \* 8/1998 Grosskopf et al. .... D12/566  
D397,649 S 9/1998 Grosskopf et al.  
D399,798 S 10/1998 Grosskopf et al.  
D412,302 S 7/1999 Rayman  
D420,630 S 2/2000 De Coninck et al.  
D457,488 S 5/2002 Rayman  
D458,895 S 6/2002 Rayman  
D467,865 S 12/2002 Comps et al.  
D473,843 S 4/2003 Le et al.  
D481,668 S 11/2003 Hanna  
D481,990 S 11/2003 Hanna  
D483,718 S 12/2003 Hutz et al.  
D492,643 S 7/2004 Robert  
D493,415 S 7/2004 Noailly

D498,729 S 11/2004 Neubauer et al.  
D512,370 S 12/2005 Pang  
D526,954 S 8/2006 Godeau  
D529,434 S 10/2006 Regallis et al.  
D530,264 S 10/2006 Labbe et al.  
D530,265 S 10/2006 Hutz et al.  
D549,157 S 8/2007 Maus et al.  
D549,163 S 8/2007 Maus et al.  
D570,767 S 6/2008 Miyazaki et al.  
D573,941 S 7/2008 Song  
D573,942 S 7/2008 Song  
D589,436 S 3/2009 Beha et al.  
D613,241 S \* 4/2010 Song ..... D12/592

## OTHER PUBLICATIONS

Goodyear RL-3 (E-3) Tire; 2005 Tread Design Guide, p. 152, row 3, item 3.\*  
Mitas SP-1 Tire; 2005 Tread Design Guide, row 1, item 5.\*

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4