

US00D633623S

(12) **United States Design Patent**
Leatt et al.

(10) **Patent No.:** **US D633,623 S**
(45) **Date of Patent:** **** Mar. 1, 2011**

(54) **NECK BRACE**

(75) Inventors: **Christopher J. Leatt**, Constantia (ZA);
Grant L. Nelson, Cape Town (ZA);
Mark E. Hopkins, Cape Town (ZA)

(73) Assignee: **Xceed Holdings CC**, Century (ZA)

(**) Term: **14 Years**

(21) Appl. No.: **29/325,870**

(22) Filed: **Oct. 7, 2008**

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/191**

(58) **Field of Classification Search** D24/190,
D24/191; 602/5, 17-20, 36; 128/97.1, 845,
128/857, DIG. 23; 2/462, 468; D29/108;
D2/602; 5/636, 640

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|------|---------|--------------|-------|---------|
| 2,474,200 | A * | 6/1949 | McBee | | 602/18 |
| 2,818,063 | A * | 12/1957 | Smith et al. | | 602/18 |
| 3,776,224 | A * | 12/1973 | McFarland | | 602/18 |
| D542,919 | S * | 5/2007 | Leatt | | D24/191 |
| D552,742 | S * | 10/2007 | Leatt | | D24/191 |
| 7,371,222 | B2 * | 5/2008 | Heinz et al. | | 602/18 |
| D592,310 | S * | 5/2009 | Leatt et al. | | D24/191 |

| | | | | | |
|--------------|------|---------|------------------|-------|---------|
| D605,300 | S * | 12/2009 | Mazzarolo et al. | | D24/191 |
| 7,674,234 | B2 * | 3/2010 | Calco et al. | | 602/18 |
| 2004/0176713 | A1 * | 9/2004 | Garth et al. | | 602/18 |
| 2005/0101896 | A1 * | 5/2005 | Calabrese | | 602/18 |
| 2008/0177209 | A1 * | 7/2008 | Leatt et al. | | 602/18 |

* cited by examiner

Primary Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Connolly Bove Lodge & Hutz LLP

(57) **CLAIM**

The ornamental design for a neck brace, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a neck brace in accordance with the invention;

FIG. 2 is a front view of the neck brace of FIG. 1;

FIG. 3 is a rear view of the neck brace of FIG. 1; and,

FIG. 4 is a side elevational view of the neck brace of FIG. 1; and,

FIG. 5 is a bottom plan view of the neck brace of FIG. 1.

The purpose of the broken lines in the drawings is to represent environmental features that form no part of the claimed design.

1 Claim, 5 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

