



US00D633632S

(12) **United States Design Patent**
Culbert et al.

(10) **Patent No.:** **US D633,632 S**
(45) **Date of Patent:** **** Mar. 1, 2011**

(54) **LED LIGHT FIXTURE**

(75) Inventors: **J. Scott Culbert**, Birmingham, AL (US);
Kenneth Martin, Birmingham, AL (US)

(73) Assignee: **Glowble SSL, Inc.**, Birmingham, AL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/343,891**

(22) Filed: **Sep. 21, 2009**

(51) **LOC (9) Cl.** **26-05**
(52) **U.S. Cl.** **D26/24; D26/72**
(58) **Field of Classification Search** **D26/24,**
D26/67, 72; 362/147, 294.02, 373
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D206,284	S *	11/1966	Ota	D26/72
3,761,678	A *	9/1973	Eckles	392/411
D312,842	S *	12/1990	Younger et al.	D20/42
D315,694	S *	3/1991	Thorp et al.	D10/114
D344,362	S *	2/1994	Engle	D26/72
6,239,986	B1 *	5/2001	Otsuka	361/796
6,568,833	B2	5/2003	Worgan et al.		
6,777,891	B2	8/2004	Lys et al.		
6,923,556	B1 *	8/2005	Baker, III	362/227
7,163,324	B2	1/2007	Pederson		
7,172,897	B2	2/2007	Blackburn et al.		
7,178,941	B2	2/2007	Roberge et al.		
7,344,279	B2	3/2008	Mueller et al.		
7,400,439	B2	7/2008	Holman		
7,410,268	B2	8/2008	Koren et al.		
7,497,596	B2 *	3/2009	Ge	362/294
7,518,862	B1	4/2009	Macika et al.		
2004/0257808	A1 *	12/2004	Bjornson et al.	362/249
2005/0152146	A1	7/2005	Owen et al.		
2007/0025096	A1 *	2/2007	Snider et al.	362/29
2007/0115686	A1	5/2007	Tyberghien		

2007/0211458	A1	9/2007	Bertram et al.
2007/0227699	A1	10/2007	Nishi
2008/0089060	A1	4/2008	Kondo et al.
2008/0129206	A1	6/2008	Stam et al.
2008/0136661	A1	6/2008	Pederson et al.
2008/0143259	A1	6/2008	Sibout
2008/0290814	A1	11/2008	Leong et al.

(Continued)

FOREIGN PATENT DOCUMENTS

WO 2009/089529 7/2009

OTHER PUBLICATIONS

Aluminum Heat Sink, found at <http://www.asia.ru/ProductInfo/1070046.html>, printed on Aug. 4, 2009, 1 page.

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Angela Holt; Lanier Ford Shaver & Payne, P.C.


(57) **CLAIM**

I claim the ornamental design for an LED light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the LED light fixture. FIG. 2 is a top view of the LED light fixture of FIG. 1. FIG. 3 is an end view of the LED light fixture of FIG. 1. FIG. 4 is a side view of the LED light fixture of FIG. 1; and, FIG. 5 is a bottom view of the LED light fixture of FIG. 1.

1 Claim, 3 Drawing Sheets



US D633,632 S

Page 2

U.S. PATENT DOCUMENTS

2009/0052177	A1 *	2/2009	Lin et al.	362/249	2009/0167203	A1	7/2009	Dahlman et al.	
2009/0154168	A1	6/2009	Zhang et al.		2009/0290345	A1 *	11/2009	Shaner	362/249.01
2009/0166653	A1	7/2009	Weaver, Jr. et al.						

* cited by examiner




Fig.1




Fig. 2




Fig. 3




Fig. 4




Fig. 5