



US00D633863S

(12) **United States Design Patent**
Qualls et al.

(10) **Patent No.:** **US D633,863 S**
(45) **Date of Patent:** **** Mar. 8, 2011**

(54) **SPIRAL WOUND BATTERY**

(75) Inventors: **Lee Qualls**, Milton, GA (US); **Layna Mendlinger**, Milton, GA (US); **John Bear**, Milton, GA (US); **Scott Cronrath**, Milton, GA (US); **Brian Westbrook**, Milton, GA (US); **Nick Kovalkevich**, Milton, GA (US); **T. Bruce Montgomery**, Milton, GA (US); **David Thimm**, Walled Lake, MI (US)

(73) Assignee: **Exide Technologies**, Milton, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/361,179**

(22) Filed: **May 6, 2010**

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/106**

(58) **Field of Classification Search** D13/102–106,
D13/110, 118–121, 184, 199; 429/96–100,
429/159, 163, 176, 178, 187

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,724,360 A * 11/1955 Crookshank 116/228
D196,798 S * 11/1963 Worrell D13/104
D292,576 S * 11/1987 Kump et al. D13/106
D303,519 S * 9/1989 Lopez-Doriga
Lopez-Doriga D13/106
D400,849 S * 11/1998 Ikeda et al. D13/106
D401,551 S * 11/1998 Kim D13/106
6,007,937 A * 12/1999 Ruiz Rodriguez et al. 429/94

D458,900 S * 6/2002 Carter et al. D13/106
D462,656 S * 9/2002 Degen et al. D13/104
D491,138 S * 6/2004 Minato D13/104
D609,178 S * 2/2010 Mack D13/104
D609,631 S * 2/2010 Mack D13/104
2009/0092890 A1 * 4/2009 Wu 429/99

* cited by examiner

Primary Examiner—Rosemary K Tarcza

(74) *Attorney, Agent, or Firm*—Katten Muchin Rosenman LLP

(57) **CLAIM**

The ornamental design for a spiral wound battery, as shown and described.

DESCRIPTION


FIG. 1 is a front perspective view of an embodiment of a battery in accordance with the present invention. The battery includes terminals on the top, curved portions in the front and back, horizontally ribbed portions on the sides, and a rounded, protruding edge portion along the junction between the top of the battery and the main body of the battery. In addition, the battery includes a series of small holes in a horizontal arrangement along a bottom portion of the front and back of the battery.

FIG. 2 is a front view of a battery in accordance with the FIG. 1 embodiment.

FIG. 3 is a top view of a battery in accordance with the FIG. 1 embodiment; and,

FIG. 4 is a side view of a battery in accordance with the FIG. 1 embodiment.

1 Claim, 4 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4