



US00D633914S

(12) **United States Design Patent**  
**Yamada**

(10) **Patent No.:** **US D633,914 S**  
(45) **Date of Patent:** **\*\* Mar. 8, 2011**

(54) **BAR-CODE READER**

(75) Inventor: **Atsuhiro Yamada**, Tokyo (JP)

(73) Assignee: **Kabushiki Kaisha Sega**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/333,550**

(22) Filed: **Mar. 11, 2009**

(30) **Foreign Application Priority Data**

Sep. 12, 2008 (JP) ..... 2008-023434

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/420**

(58) **Field of Classification Search** ..... D14/420-426,  
D14/371, 374-377, 126, 448, 450; D18/36-39,  
D18/55; 358/474, 497, 473, 494, 471; 235/462.11,  
235/462.14, 462.31, 462.43, 462.18, 462.36,  
235/462.01; 359/199, 213, 214; D20/10;  
D6/300; D8/353; 348/823, 824, 794; 399/211;  
361/681-683, 686; 349/58; 248/917, 918,  
248/652, 442.2; 345/905, 156, 157, 158;  
40/752, 729, 732, 733, 735

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D585,945 S \* 2/2009 Yamashita ..... D21/332

\* cited by examiner

*Primary Examiner*—Susan Moon Lee

(74) *Attorney, Agent, or Firm*—Dickstein Shapiro LLP

(57) **CLAIM**

The ornamental design for the bar-code reader, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of my new design for a bar-code reader;

FIG. 2 is a front elevational view of the bar-code reader of FIG. 1;

FIG. 3 is a rear elevational view of the bar-code reader of FIG. 1;

FIG. 4 is a top plan view of the bar-code reader of FIG. 1;

FIG. 5 is a bottom plan view of the bar-code reader of FIG. 1;

FIG. 6 is a right side elevational view of the bar-code reader of FIG. 1; and,

FIG. 7 is a left side elevational view of the bar-code reader of FIG. 1.

**1 Claim, 7 Drawing Sheets**




FIG.1




FIG. 2




FIG. 3




FIG.4




FIG. 5




FIG.6




FIG. 7

