



US00D634270S

(12) **United States Design Patent**
Brickstad

(10) **Patent No.:** **US D634,270 S**
(45) **Date of Patent:** **** Mar. 15, 2011**

(54) **BATTERY CHARGER**

(75) Inventor: **Per Brickstad**, Stockholm (SE)

(73) Assignee: **Nokia Corporation**, Espoo (FI)

(**) Term: **14 Years**

(21) Appl. No.: **29/363,284**

(22) Filed: **Jun. 8, 2010**

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/108**

(58) **Field of Classification Search** D13/107-110,
D13/118-119, 184, 199; D14/251, 253,
D14/432, 434; 320/107-115

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D445,399 S * 7/2001 Kolinen D13/107
- D454,332 S * 3/2002 Yokoyama D13/108
- D526,272 S 8/2006 Sade et al.
- D530,273 S * 10/2006 Solland D13/108
- D532,005 S 11/2006 Leith
- D535,614 S 1/2007 Majanen

- D590,770 S 4/2009 Moss
- D608,350 S * 1/2010 Bo D14/217
- D623,641 S * 9/2010 Harden et al. D14/253

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd

(57) **CLAIM**

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front view of a battery charger showing the new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a left side view thereof;


FIG. 5 is a right side view thereof;

FIG. 6 is a rear view thereof; and,

FIG. 7 is a front view thereof.

The broken line showing the environmental structure of the battery charger in the figures forms no part of the claimed design. Unshaded regions bounded within the broken lines form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7