

US00D634338S

(12) **United States Design Patent**  
**Burstrom**

(10) **Patent No.:** **US D634,338 S**

(45) **Date of Patent:** **\*\* Mar. 15, 2011**

(54) **LATERAL SUPPORT OF A TRACK BELT FOR VEHICLE TIRES**

(75) Inventor: **Lennart Burstrom**, Nordmaling (SE)

(73) Assignee: **Olofsfors AB**, Nordmaling (SE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/362,577**

(22) Filed: **May 27, 2010**

(51) **LOC (9) Cl.** ..... **15-03**

(52) **U.S. Cl.** ..... **D15/28**

(58) **Field of Classification Search** ..... D15/24,  
D15/28; D8/380; 152/185.1, 185, 225 R,  
152/226, 227, 187; 305/19, 196, 198, 185,  
305/195, 181, 193, 201, 114; 16/90, 91  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,008,210	A *	7/1935	Hipkins	.....	152/220
2,917,095	A *	12/1959	Galanot	.....	152/225 R
D218,158	S *	7/1970	Comellas	.....	D15/28
4,089,565	A *	5/1978	Loeering et al.	.....	305/45
4,408,646	A *	10/1983	Forsyth	.....	152/179
4,810,043	A *	3/1989	McIntosh	.....	305/15
4,813,466	A *	3/1989	Forsyth et al.	.....	152/179
5,044,415	A *	9/1991	Ishihara	.....	152/228
5,170,827	A *	12/1992	Urleb et al.	.....	152/225 C
5,284,387	A *	2/1994	Loeering	.....	305/200

5,388,624	A *	2/1995	Nordstrom et al.	.....	152/185.1
5,429,429	A *	7/1995	Loeering et al.	.....	305/193
5,616,193	A *	4/1997	Nordstrom et al.	.....	152/185.1
5,988,776	A *	11/1999	Zurn	.....	305/157
6,203,127	B1 *	3/2001	Chapman	.....	305/201
6,394,562	B1	5/2002	Sjostrom		
6,447,077	B1 *	9/2002	Durick et al.	.....	305/201
6,637,840	B2 *	10/2003	Zaleski et al.	.....	305/193
7,258,405	B2 *	8/2007	Pringiers	.....	305/193

\* cited by examiner

*Primary Examiner* — Mark A Goodwin

(74) *Attorney, Agent, or Firm* — Dilworth & Barrese, LLP.

(57) **CLAIM**


The ornamental design for a lateral support of a track belt for vehicle tires, as shown and described.


**DESCRIPTION**

FIG. 1 is a top right front perspective view of a lateral support of a track belt for vehicle tires showing my new design; FIG. 2 is a right side elevational view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a reduced schematic view showing a series of lateral support of a track belt for vehicle tires in use condition on a track belt.


The broken line showing of the wheels, track belt, and a series of lateral support of a track belt for vehicle tires is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*



*FIG. 4*



*FIG. 5*



*FIG. 6*




FIG. 7