



US00D634525S

(12) **United States Design Patent**
Bizzo

(10) **Patent No.:** **US D634,525 S**
(45) **Date of Patent:** **** Mar. 22, 2011**

(54) **SHOE SOLE**

(75) Inventor: **Luca Bizzo**, Holmdel, NJ (US)

(73) Assignee: **Aerogroup International Holdings LLC**, Edison, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/358,314**

(22) Filed: **Mar. 25, 2010**

Related U.S. Application Data

(62) Division of application No. 29/338,239, filed on Jun. 8, 2009, now Pat. No. Des. 614,839.

(51) **LOC (9) Cl.** **02-04**

(52) **U.S. Cl.** **D2/953; D2/951**

(58) **Field of Classification Search** D2/902,
D2/908, 916, 918, 925, 946, 947, 951-954,
D2/956-962, 977; 36/3 B, 22 R, 24.5, 25 R,
36/28, 32 R, 34 R, 59 C, 103

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,266,476	A *	12/1941	Riess	36/3 B
4,617,745	A *	10/1986	Batra	36/3 B
D297,585	S *	9/1988	Brown et al.	D2/977
D297,593	S *	9/1988	Swett	D2/955
4,910,887	A *	3/1990	Turner et al.	36/114
4,991,317	A *	2/1991	Lakic	36/44
5,025,575	A *	6/1991	Lakic	36/44
D323,059	S *	1/1992	Hatfield	D2/954
D366,754	S *	2/1996	Valverde	D2/954
D378,011	S *	2/1997	Lucas	D2/947
D380,290	S *	7/1997	Nakagawa	D2/961
D384,797	S *	10/1997	Nakagawa	D2/961
D401,042	S *	11/1998	Davis	D2/951
5,950,332	A *	9/1999	Lain	36/3 B
D418,662	S *	1/2000	Bergmans	D2/926
6,014,823	A *	1/2000	Lakic	36/93
6,108,943	A *	8/2000	Hudson et al.	36/102

D437,675	S *	2/2001	Dahlsten	D2/908
D446,000	S *	8/2001	Price	D2/907
6,446,359	B2 *	9/2002	Tomat	36/3 R
D476,143	S *	6/2003	McDowell	D2/960
D476,800	S *	7/2003	Fuerst	D2/957
7,162,815	B2 *	1/2007	Miyauchi et al.	36/103
D539,014	S *	3/2007	Issler	D2/953
D563,083	S *	3/2008	Corbi Rico	D2/947
D568,593	S *	5/2008	Chen	D2/953

(Continued)

Primary Examiner — T. Chase Nelson

(74) *Attorney, Agent, or Firm* — Lackenbach Siegel, LLP;
Andrew F. Young, Esq.

(57) **CLAIM**

The ornamental design for a shoe sole, as shown and described.

DESCRIPTION

FIG. 1 is a left front perspective view of an embodiment of the present invention.

FIG. 2 is a left side elevational view of the embodiment shown in FIG. 1.

FIG. 3 is a right side elevational view of the embodiment shown in FIG. 1.

FIG. 4 is a front elevational view of the embodiment shown in FIG. 1.



FIG. 5 is a rear elevational view of the embodiment shown in FIG. 1.

FIG. 6 is a bottom view of the embodiment shown in FIG. 1; and,

FIG. 7 is a top view of the embodiment shown in FIG. 1.

The broken lines showing the shoe upper throughout the views illustrate the environment in which the design resides, and form no part of the claimed design. The broken lines upon the surface of the shoe sole in FIGS. 1 through 5 illustrate portions of the design that form no part of the claimed design; and the broken lines shown on the forefoot of FIG. 6 represent an internal boundary, with the broken lines and area within also forming no part of the claim.

1 Claim, 6 Drawing Sheets



US D634,525 S

Page 2

U.S. PATENT DOCUMENTS

D590,586 S *	4/2009	Harlow	D2/960	D617,087 S *	6/2010	Avent et al.	D2/961
D591,943 S *	5/2009	Recchi	D2/953	7,762,008 B1 *	7/2010	Clark et al.	36/3 B
7,540,100 B2 *	6/2009	Pawlus et al.	36/76 R	D621,594 S *	8/2010	Diaz	D2/953
D595,487 S *	7/2009	Issler	D2/951	2007/0169375 A1 *	7/2007	Chen et al.	36/3 B
D595,944 S *	7/2009	Anderson et al.	D2/961	2009/0277044 A1 *	11/2009	Bove et al.	36/114
D601,786 S *	10/2009	Avent et al.	D2/961				

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 6




Fig. 7