



US00D634784S

(12) **United States Design Patent**
Trotter et al.

(10) **Patent No.:** **US D634,784 S**
(45) **Date of Patent:** **** Mar. 22, 2011**

(54) **TAPE APPLICATOR**

(75) Inventors: **Byron E. Trotter**, St. Paul, MN (US);
Martin E. Broen, Milan (IT); **Johannes Bayer**, Balgach (CH); **Federico Ferretti**, Cesena (IT)

(73) Assignee: **3M Innovative Properties Company**, St. Paul, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/365,066**

(22) Filed: **Jul. 2, 2010**

(51) **LOC (9) Cl.** **19-02**

(52) **U.S. Cl.** **D19/69**

(58) **Field of Classification Search** D19/70,
D19/69, 36, 68; 242/588.6, 588.2; 225/77,
225/6, 56, 39, 26, 25, 19, 11; 206/411; 156/577,
156/527, 523

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|---------------|-------|--------|
| D328,097 S * | 7/1992 | Czech | | D19/69 |
| D337,787 S * | 7/1993 | Oga et al. | | D19/69 |
| D438,567 S * | 3/2001 | Van Den Berg | | D19/69 |
| D448,416 S * | 9/2001 | Kimura | | D19/69 |
| D449,858 S * | 10/2001 | Liu | | D19/69 |
| D466,939 S * | 12/2002 | Lee | | D19/69 |
| D475,744 S * | 6/2003 | De Man et al. | | D19/69 |
| D475,746 S * | 6/2003 | Ono | | D19/69 |

| | | | | |
|--------------|--------|--------------------|-------|--------|
| D485,302 S * | 1/2004 | Bain | | D19/69 |
| D492,355 S * | 6/2004 | Suzuki | | D19/69 |
| D494,623 S * | 8/2004 | Huang | | D19/69 |
| D508,085 S * | 8/2005 | Herrmannsen et al. | | D19/69 |
| D515,136 S * | 2/2006 | Herrmannsen et al. | | D19/69 |
| D518,854 S * | 4/2006 | Paulus et al. | | D19/69 |
| D542,351 S * | 5/2007 | Rolion et al. | | D19/69 |
| D570,919 S * | 6/2008 | Chan et al. | | D19/69 |
| D573,646 S * | 7/2008 | Wolff et al. | | D19/69 |
| D574,892 S * | 8/2008 | Kouda | | D19/69 |
| D688,645 | 3/2009 | Burton et al. | | D19/69 |
| D600,751 S * | 9/2009 | Gallay | | D19/69 |

* cited by examiner

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Lisa P. Fulton

(57) **CLAIM**

The ornamental design for the tape application, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tape applicator showing the new design;

FIG. 2 is a side view thereof;

FIG. 3 is a top view thereof;



FIG. 4 is a bottom view thereof;

FIG. 5 is a front view thereof, as taken from the left side of FIG. 2; and,

FIG. 6 is a rear view thereof, as taken from the right side of FIG. 2.

The broken lines shown in the drawings represent portions of the tape applicator that form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D634,784 S
APPLICATION NO. : 29/365066
DATED : March 22, 2011
INVENTOR(S) : Byron Edward Trotter

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Item [56], **References Cited**, US PATENT DOCUMENTS (second column), delete "D688,645" and insert -- D588,645 -- therefor.

Item [57], **CLAIM**, delete "tape application" and insert -- tape applicator -- therefor.

Signed and Sealed this
Twentieth Day of March, 2012



David J. Kappos
Director of the United States Patent and Trademark Office