



US00D634817S

(12) **United States Design Patent**
Madara et al.

(10) **Patent No.:** **US D634,817 S**
(45) **Date of Patent:** **** Mar. 22, 2011**

- (54) **PIPE COUPLING SEGMENT**
- (75) Inventors: **Scott D Madara**, Nazareth, PA (US);
Amit R Shah, Quakertown, PA (US);
Michael V Porter, Easton, PA (US)
- (73) Assignee: **Victaulic Company**, Easton, PA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/380,524**
- (22) Filed: **Dec. 7, 2010**

- D463,537 S 9/2002 Koza et al.
- 6,547,159 B1 4/2003 Westby
- 6,626,466 B1 9/2003 Dole
- 6,991,268 B2 1/2006 Spears
- 7,086,131 B2 8/2006 Gibb et al.
- 7,090,259 B2 8/2006 Dole
- D558,307 S 12/2007 Gibb et al.
- D560,764 S 1/2008 Gibb et al.
- D583,444 S 12/2008 Nagle et al.
- D583,914 S 12/2008 Pierce et al.
- D583,916 S 12/2008 Madara et al.
- D595,813 S 7/2009 Pierce et al.

(Continued)

Related U.S. Application Data

- (62) Division of application No. 29/345,570, filed on Oct. 19, 2009, now Pat. No. Des. 629,073.
 - (51) **LOC (9) Cl.** **23-01**
 - (52) **U.S. Cl.** **D23/262**
 - (58) **Field of Classification Search** D23/259-262;
239/428.5; 261/DIG. 22; D8/396; 285/1,
285/112, 179, 340, 367, 373, 404, 53, 915;
403/291, 300; 411/5, 10; 137/801
- See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- 1,027,694 A 5/1912 Corbet
- 1,851,574 A 3/1932 Fiederlein
- D168,928 S 3/1953 English
- 2,752,173 A 6/1956 Krooss
- 3,695,638 A 10/1972 Blakeley
- 4,218,080 A 8/1980 Kendrick
- 4,248,460 A 2/1981 Murray et al.
- D287,532 S 12/1986 Jones et al.
- 4,738,276 A 4/1988 Adams
- 4,966,395 A 10/1990 Hendrickson
- 5,058,931 A 10/1991 Bowsher
- 5,620,314 A 4/1997 Worton
- 6,076,861 A 6/2000 Ikeda

OTHER PUBLICATIONS

Asian Sources Hardware (Apr. 2006), p. 187.

Primary Examiner — T. Chase Nelson

Assistant Examiner — Eric L Goodman

(74) *Attorney, Agent, or Firm* — Ballard Spahr LLP

(57) **CLAIM**

We claim the ornamental design for a pipe coupling segment, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of an embodiment of our design for a pipe coupling segment;


FIG. 2 is a front view of the design for a pipe coupling segment shown in FIG. 1, the rear view being identical;

FIG. 3 is a top view of the design for a pipe coupling segment shown in FIG. 1;

FIG. 4 is a bottom view of the design for a pipe coupling segment shown in FIG. 1; and,

FIG. 5 is a left side view of the design for a pipe coupling segment shown in FIG. 1, the right side view being identical. The broken lines in FIGS. 1-5 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D634,817 S

Page 2

U.S. PATENT DOCUMENTS

D595,814 S	7/2009	Pierce et al.				
D595,815 S	7/2009	Pierce et al.				
D616,967 S *	6/2010	Madara et al.	D23/262		
D618,313 S *	6/2010	Madara et al.	D23/262		
D618,315 S *	6/2010	Bowman et al.	D23/262		
D621,482 S *	8/2010	Porter et al.	D23/262		
D621,916 S	8/2010	Porter et al.				
D621,917 S	8/2010	Madara et al.				
D626,201 S *	10/2010	Madara et al.	D23/262		
D629,073 S *	12/2010	Madara et al.	D23/262		
D629,076 S *	12/2010	Madara et al.	D23/262		
D629,077 S *	12/2010	Porter et al.	D23/262		
2002/0050718 A1	5/2002	Pyron				
2004/0000337 A1	1/2004	Cooper				
2008/0017589 A1	1/2008	Taylor				
2008/0030026 A1	2/2008	Cho				

* cited by examiner




FIG. 1




FIG. 2

FIG.3




FIG.4





FIG.5