



US00D635203S

(12) **United States Design Patent**
Breibart

(10) **Patent No.:** **US D635,203 S**

(45) **Date of Patent:** **** Mar. 29, 2011**

(54) **SCAPULAR STABILIZER**

(76) **Inventor:** **Joan Breibart, New York, NY (US)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/349,507**

(22) **Filed:** **Apr. 9, 2010**

(51) **LOC (9) Cl.** **21-02**

(52) **U.S. Cl.** **D21/662**

(58) **Field of Classification Search** D21/662,
D21/684, 692, 694, 698; 482/38, 74, 91,
482/92, 105, 118, 121-125, 129, 131, 139,
482/143, 148; D30/153; 119/770, 797; D12/133
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

843,478	A *	2/1907	Muller	482/124
866,495	A *	9/1907	Marks	482/124
1,618,273	A *	2/1927	Davidson	482/124
1,816,262	A *	7/1931	Ritter	297/484
2,097,376	A *	10/1937	Marshman	482/124
3,162,441	A *	12/1964	Karlik	482/124
4,588,186	A *	5/1986	Calabrese	482/131
5,186,701	A *	2/1993	Wilkinson	482/125
5,308,305	A *	5/1994	Romney	482/124
D358,625	S *	5/1995	Enriquez, Jr.	D21/686
5,647,827	A *	7/1997	Gutkowski et al.	482/124
5,857,945	A *	1/1999	Papp et al.	482/124
5,916,070	A *	6/1999	Donohue	482/74
6,659,921	B2 *	12/2003	Vernon	482/124
D499,553	S *	12/2004	Millard	D3/327
D518,535	S *	4/2006	Haskell	D21/662
7,214,171	B2 *	5/2007	Thelen et al.	482/124
7,549,948	B2 *	6/2009	Makofsky	482/92
7,628,742	B2 *	12/2009	Weaver	482/125

* cited by examiner

Primary Examiner — Susan E Krakower

(74) *Attorney, Agent, or Firm* — R. Neil Sudol; Henry D. Coleman; William J. Sapone

(57) **CLAIM**

The ornamental design for the scapular stabilizer, as shown and described.

DESCRIPTION

FIG. 1 is a rear elevational view of a first embodiment of a scapular stabilizer, showing my new design in use by an individual person depicted in phantom lines;

FIG. 2 is a front elevational view thereof, also showing the design in use by an individual person shown in phantom lines;

FIG. 3 is a perspective view thereof;

FIG. 4 is a right side elevational view thereof, the left side being a mirror image of the right side;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof.

FIG. 7 is a rear elevational view of a second embodiment of a scapular stabilizer, showing my new design in use by an individual person depicted in phantom lines;

FIG. 8 is a front elevational view thereof, also showing the design in use by an individual person shown in phantom lines;

FIG. 9 is a perspective view thereof;

FIG. 10 is a right side elevational view thereof, the left side being a mirror image of the right side;

FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof.

FIG. 13 is a rear elevational view of a third embodiment of a scapular stabilizer, showing my new design in use by an individual person depicted in phantom lines;

FIG. 14 is a front elevational view thereof, also showing the design in use by an individual person shown in phantom lines;

FIG. 15 is a perspective view thereof;



FIG. 16 is a right side elevational view thereof, the left side being a mirror image of the right side;

FIG. 17 is a top plan view thereof; and,

FIG. 18 is a bottom plan view thereof.

The broken lines showing a human figure illustrate environmental structure that forms no part of the claimed design.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18