



US00D635342S

(12) **United States Design Patent**  
**Youn**

(10) **Patent No.:** **US D635,342 S**  
(45) **Date of Patent:** **\*\* Apr. 5, 2011**

(54) **TREAD SURFACE OF A SLIP-RESISTANT OUTSOLE**

(75) Inventor: **Sung Hee Youn**, Chunan (KR)

(73) Assignee: **Shin Dong Hae International Co., Ltd.**, Chunan (KR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/346,528**

(22) Filed: **Nov. 2, 2009**

(30) **Foreign Application Priority Data**

Jun. 25, 2009 (KR) ..... 30-2009-0028107

(51) **LOC (9) Cl.** ..... **02-04**

(52) **U.S. Cl.** ..... **D2/951**

(58) **Field of Classification Search** ..... D2/902,  
D2/906, 908, 916, 918, 925, 946, 947, 951-962,  
D2/977; 36/3 B, 22 R, 24.5, 25 R, 28, 32 R,  
36/34 R, 59 C, 67 A, 103; D6/583; D5/53;  
D12/510, 512, 542

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D346,480 S *	5/1994	Davidson	.....	D2/961
D445,243 S *	7/2001	Cockrell	.....	D2/957
D509,949 S *	9/2005	Wu	.....	D2/959
D514,287 S *	2/2006	Cockrell	.....	D2/959
D529,695 S *	10/2006	Cockrell	.....	D2/959
D530,067 S *	10/2006	Cockrell	.....	D2/959
D530,493 S *	10/2006	Holmes	.....	D2/957
D530,894 S *	10/2006	Cockrell	.....	D2/959
D530,895 S *	10/2006	Cockrell	.....	D2/959
D531,789 S *	11/2006	Kohastu et al.	.....	D2/959
D542,017 S *	5/2007	Cockrell	.....	D2/959

7,290,357 B2 *	11/2007	McDonald et al.	.....	36/102
D572,885 S *	7/2008	Jensen	.....	D2/958
D611,691 S *	3/2010	Lubart	.....	D2/947
D625,091 S *	10/2010	Moon	.....	D2/953
2005/0262739 A1 *	12/2005	McDonald et al.	.....	36/102
2008/0022553 A1 *	1/2008	McDonald et al.	.....	36/25 R
2008/0110053 A1 *	5/2008	Dominquez et al.	.....	36/91

\* cited by examiner

*Primary Examiner* — T. Chase Nelson

(57) **CLAIM**


The ornamental design for the tread surface of a slip-resistant outsole, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of the present tread surface of a slip-resistant outsole design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a left side elevational view thereof;  
 FIG. 4 is a right side elevational view thereof;  
 FIG. 5 is a top plan view thereof;  
 FIG. 6 is a bottom plan view thereof;  
 FIG. 7 is a reference front elevational view illustrating an enlarged portion of the tread surface of a slip-resistant outsole thereof;  
 FIG. 8 is a reference perspective view of the portion seen in FIG. 7 thereof; and,  
 FIG. 9 is a reference bottom plan view of the portion seen in FIG. 7, the top plan view being a mirror image thereof.


The broken lines in the FIG. 1 through 6 views depict environmental structure that forms no part of the claimed design. The broken lines in the FIG. 7 through 9 views depict the boundaries of the partial views shown in these figures, and also form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**





**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**




**FIG. 6**




**FIG. 7**





**FIG. 8**



**FIG. 9**