



US00D635483S

(12) **United States Design Patent**  
**Charles et al.**

(10) **Patent No.:** **US D635,483 S**  
(45) **Date of Patent:** **\*\* Apr. 5, 2011**

(54) **KEY CHAIN CHARM HOLDER**

(76) Inventors: **R. Scott Charles**, San Diego, CA (US);  
**Lisa Kane-Charles**, San Diego, CA  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/343,322**

(22) Filed: **Sep. 10, 2009**

(51) **LOC (9) Cl.** ..... **11-02**

(52) **U.S. Cl.** ..... **D11/79**

(58) **Field of Classification Search** ..... D11/1,  
D11/2, 40, 41, 42, 79-86, 95, 96, 97, 98,  
D11/99, 103, 110, 116; 63/12, 13, 14.1,  
63/3, 18; D3/207, 208

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,511,651 A	6/1950	Schlitz	
D203,737 S	2/1966	Friedman	
D282,353 S *	1/1986	Wong	D11/82
D296,726 S	7/1988	Katz	
D309,830 S	8/1990	Kraus	
D310,753 S	9/1990	Stillwagon	
D311,504 S *	10/1990	De Frahan	D11/79
D341,333 S *	11/1993	Prout	D11/80
D358,251 S *	5/1995	Bettis	D3/208
D380,979 S *	7/1997	Perlmutter	D11/79
D382,704 S *	8/1997	Petruzzi	D3/207
D404,334 S *	1/1999	Welsh	D11/26
D406,396 S *	3/1999	Granwehr	D28/76
D435,721 S	1/2001	Lukach	
D437,995 S	2/2001	Perthou	
D441,184 S	5/2001	Haapala	
D442,879 S *	5/2001	Mettier, Jr.	D11/83
D447,332 S	9/2001	Piaarevsky	
D468,986 S *	1/2003	Kan	D8/98
D489,888 S	5/2004	Opolka	
D500,808 S *	1/2005	Howard	D20/28

D507,867 S	8/2005	Turner	
D523,235 S	6/2006	Oas	
D527,891 S	9/2006	Koeksema	
D538,196 S *	3/2007	Lee	D11/79
D543,693 S	6/2007	Fishman	
D558,635 S *	1/2008	Glassman et al.	D11/80
RE40,379 E	6/2008	Hastings	
7,546,753 B1	6/2009	Kim	
D619,492 S *	7/2010	Wallace	D11/82

\* cited by examiner

*Primary Examiner* — Cathron C Brooks

*Assistant Examiner* — Melanie Levy

(74) *Attorney, Agent, or Firm* — QuickPatents, Inc.; Kevin Prince

(57) **CLAIM**

We claim the ornamental design for a key chain charm holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a key chain charm holder, showing our new design, illustrated in an open position; FIG. 2 is a perspective view thereof, illustrated in a closed position;

FIG. 3 is a front elevational view thereof, illustrated in the closed position;

FIG. 4 is a rear elevational view thereof, illustrated in the closed position;

FIG. 5 is a left-side elevational view thereof, illustrated in the closed position, the right-side elevational view being a mirror image thereof;

FIG. 6 is a top plan view thereof, illustrated in the closed position; and,

FIG. 7 is a bottom plan view thereof, illustrated in the closed position.

The broken lines showing a key chain and charms in FIG. 1 are included for the purpose of illustrating the invention in use, and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7