



US00D635574S

(12) **United States Design Patent**
Morisawa

(10) **Patent No.:** **US D635,574 S**
(45) **Date of Patent:** **** Apr. 5, 2011**

(54) **PLUG PORTION FOR A HEADPHONE**

(75) Inventor: **Rui Morisawa**, Tokyo (JP)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/347,573**

(22) Filed: **Mar. 5, 2010**

(30) **Foreign Application Priority Data**

Oct. 28, 2009 (JP) D2009-025258

Jan. 20, 2010 (JP) D2010-001193

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/433; D14/205**

(58) **Field of Classification Search** D14/205,
D14/206, 223, 432, 433; 181/129, 130, 135;
379/430, 431, 433.11; 381/380, 381; 455/90.3,
455/575.1; D13/149, 150, 148, 151, 154,
D13/156; D8/382, 387, 398; 411/435, 427,
411/337, 429, 402, 405, 378; 285/405
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,314,078 A * 8/1919 Hard 74/543
2,138,159 A * 11/1938 Hanks 411/366.1
2,284,824 A * 6/1942 Hungerford 411/427
2,399,090 A * 4/1946 Ballak 470/23
2,452,184 A * 10/1948 Cole 285/154.1
2,632,355 A * 3/1953 Becker 411/427
2,644,946 A * 7/1953 Menz et al. 450/143
D181,558 S * 11/1957 Urie et al. D8/398
2,993,962 A * 7/1961 Hothem 379/430
3,200,960 A * 8/1965 Banse 206/459.5
3,358,545 A * 12/1967 Williams 411/435
4,209,264 A * 6/1980 Hellberg 403/80
4,354,298 A * 10/1982 Tanaka et al. 24/453
4,583,897 A * 4/1986 Briles 411/378

D302,110 S * 7/1989 Gonzalez D8/398
4,907,266 A * 3/1990 Chen 379/430
4,957,402 A * 9/1990 Klein et al. 411/84
D314,371 S * 2/1991 Matsui D13/199
5,067,750 A * 11/1991 Minneman 285/38
D399,206 S 10/1998 Yasutomi et al.
6,139,237 A * 10/2000 Nagayama 411/181

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1335550 S 7/2008

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Rader, Fishman & Grauer
PLLC



(57) **CLAIM**

The ornamental design for a plug portion for a headphone, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a plug portion for a headphone
showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
FIG. 8 is a perspective view of another embodiment of a plug
portion showing my new design;
FIG. 9 is a front elevational view thereof;
FIG. 10 is a rear elevational view thereof;
FIG. 11 is a left side elevational view thereof;
FIG. 12 is a right side elevational view thereof;
FIG. 13 is a top plan view thereof; and,
FIG. 14 is a bottom plan view thereof.
Portions in broken lines are for illustrative purposes only and
form no part of claimed design. Dot-dash broken lines define
boundaries of, but are not included in, the claimed design.

1 Claim, 8 Drawing Sheets



US D635,574 S

Page 2

U.S. PATENT DOCUMENTS			
D477,820 S	7/2003	Suzuki et al.	
D484,786 S *	1/2004	O'Connor	D8/398
D504,414 S	4/2005	Yoshida	
D517,526 S	3/2006	Komiyama	
			* cited by examiner
		D519,110 S	4/2006 Komiyama
		D519,497 S	4/2006 Komiyama
		D587,241 S	2/2009 Suzuki
		D587,243 S	2/2009 Suzuki

FIG.1




FIG.2




FIG.3




FIG.4





FIG.5







FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14

