



US00D635912S

(12) **United States Design Patent**
Knispel

(10) **Patent No.:** **US D635,912 S**

(45) **Date of Patent:** **** Apr. 12, 2011**

- (54) **TIRE**
- (75) Inventor: **Oliver Knispel**, Gelnhausen-Hailer (DE)
- (73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/378,078**
- (22) Filed: **Oct. 29, 2010**
- (51) **LOC (9) Cl.** **12-15**
- (52) **U.S. Cl.** **D12/564**
- (58) **Field of Classification Search** D12/533,
D12/546-567, 900-901, 600-603;
152/209.1-209.28, 455
See application file for complete search history.

D556,670 S	12/2007	Fontaine et al.	D12/553
D575,726 S	8/2008	Fontaine et al.	D12/564
D589,874 S	4/2009	Fontaine et al.	D12/564
D591,221 S	4/2009	Fontaine et al.	D12/563
D591,672 S	5/2009	de Briey-Terlinden et al.	D12/553
D592,588 S	5/2009	Heinen et al.	D12/564
D595,639 S	7/2009	de Briey-Terlinden	D12/553
D595,640 S	7/2009	de Briey-Terlinden	D12/564
D596,109 S	7/2009	de Briey-Terlinden	D12/553
D597,475 S	8/2009	Heinen et al.	D12/553
D597,476 S	8/2009	de Briey-Terlinden	D12/553
D608,726 S *	1/2010	Tanaka	D12/566
2006/0151078 A1	7/2006	Colombo et al.	152/209.8

* cited by examiner

Primary Examiner — Stacia Cadmus
(74) *Attorney, Agent, or Firm* — Richard B. O’Planick

(57) **CLAIM**
The ornamental design for a tire, as shown and described.

(56) **References Cited**



U.S. PATENT DOCUMENTS

D354,029 S *	1/1995	Voigt et al.	D12/564
5,435,366 A *	7/1995	Voigt et al.	152/209.18
D362,420 S	9/1995	Heinen et al.	D12/147
D379,448 S	5/1997	Graas et al.	D12/147
D384,314 S *	9/1997	Heinen	D12/565
D387,714 S	12/1997	Heinen	D12/147
D395,625 S *	6/1998	Mori	D12/565
D395,856 S *	7/1998	Horie et al.	D12/565
D418,782 S *	1/2000	Williams	D12/565
D429,194 S	8/2000	Heinen et al.	D12/147
D429,478 S	8/2000	Heinen et al.	D12/147
D431,800 S	10/2000	Heinen et al.	D12/147
D441,328 S	5/2001	Heinen et al.	D12/146
D441,695 S	5/2001	Heinen et al.	D12/147
D450,293 S *	11/2001	Williams	D12/565
D451,068 S	11/2001	Heinen et al.	D12/547
D452,198 S	12/2001	Heinen et al.	D12/146
D485,230 S *	1/2004	Williams	D12/564
D486,443 S *	2/2004	Maxwell	D12/563
D504,106 S	4/2005	de Briey-Terlinden et al.	D12/553
D504,866 S	5/2005	Collette et al.	D12/553
D505,112 S	5/2005	Heinen et al.	D12/567
D522,961 S *	6/2006	Kuramochi et al.	D12/566
D556,669 S *	12/2007	Fugier et al.	D12/563

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof;
 FIG. 4 is an enlarged fragmentary front elevational view thereof;
 FIG. 5 is a perspective view of a second embodiment of a tire showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is a mirror image thereof; and,
 FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.
 In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6