



US00D636028S

(12) **United States Design Patent**  
**Widener**

(10) **Patent No.:** **US D636,028 S**

(45) **Date of Patent:** **\*\* Apr. 12, 2011**

(54) **DANGLER TAG**

(75) Inventor: **John Widener**, Haslett, MI (US)

(73) Assignee: **Multi Packaging Solutions, Inc.**,  
Lansing, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/369,328**

(22) Filed: **Sep. 7, 2010**

(51) **LOC (9) Cl.** ..... **19-08**

(52) **U.S. Cl.** ..... **D20/22; D20/28**

(58) **Field of Classification Search** ..... D20/10,  
D20/11, 19, 22-28, 40, 42, 43, 99;  
40/124.01-124.09, 124.11-124.19, 124.191,  
40/299.01, 300, 303, 305, 306, 309, 310,  
40/312, 316, 330, 360, 625, 626, 628, 633,  
40/634, 640, 642.01, 653, 654, 661, 661.04-661.06,  
40/662, 666, 673; D10/104, 109; 206/6.1;  
283/56, 62, 71, 81, 85, 105

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

300,212	A *	6/1884	Campbell	.....	40/664
D28,619	S *	5/1898	McFadden	.....	D20/22
D30,254	S *	2/1899	Wells	.....	D20/22
637,201	A *	11/1899	Gay	.....	40/666
637,701	A	11/1899	Blessinger		
1,275,226	A *	8/1918	Clulee	.....	40/666
1,586,433	A *	5/1926	Wittstein	.....	428/450
3,225,478	A *	12/1965	Rohmer	.....	40/330
3,662,480	A *	5/1972	Gilson et al.	.....	40/663

3,775,882	A	12/1973	Wheeler		
D240,776	S *	8/1976	Pollard	.....	D20/28
4,379,372	A	4/1983	Alexander et al.		
D275,408	S	9/1984	Maloney		
4,862,617	A	9/1989	Cooke, Jr. et al.		
5,167,086	A	12/1992	Fast		
5,617,656	A	4/1997	Ludlow et al.		
5,664,669	A *	9/1997	VanFleet	.....	206/6.1
5,697,177	A	12/1997	Ludlow et al.		
5,913,619	A	6/1999	Lowe		
6,085,453	A	7/2000	Volk		
D428,932	S *	8/2000	Caloia et al.	.....	D20/22
7,004,441	B1	2/2006	Rutland		
2009/0019751	A1 *	1/2009	Goetting	.....	40/663

\* cited by examiner

*Primary Examiner* — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Dobrusin & Thennisch PC

(57) **CLAIM**

The ornamental design for a dangler tag, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the dangler tag of the present invention

FIG. 2 is a front elevation view of the tag shown in FIG. 1.

FIG. 3 is a back elevation view of the tag shown in FIG. 1.

FIG. 4 is a first side elevation view of the tag shown in FIG. 1.


FIG. 5 is a second side elevation view of the tag shown in FIG. 1.

FIG. 6 is a top elevation view of the tag shown in FIG. 1; and,

FIG. 7 is a bottom elevation view of the tag shown in FIG. 1.

The broken lines showing environment in the drawings are for illustrative

**1 Claim, 4 Drawing Sheets**






FIG. 1






FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7