



US00D636113S

(12) **United States Design Patent**  
**Finke et al.**

(10) **Patent No.:** **US D636,113 S**  
(45) **Date of Patent:** **\*\* Apr. 12, 2011**

- (54) **REFLECTOR**
- (75) Inventors: **Fred Finke**, Grand Haven, MI (US);  
**Marc Zuiderveen**, Hudsonville, MI (US)
- (73) Assignee: **Emergency Technology, Inc.**,  
Hudsonville, MI (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/377,999**
- (22) Filed: **Oct. 28, 2010**
- (51) **LOC (9) Cl.** ..... **26-99**
- (52) **U.S. Cl.** ..... **D26/122**
- (58) **Field of Classification Search** ..... D26/85,  
D26/133, 134, 136, 122, 138, 118, 124, 69,  
D26/68, 67, 71, 125, 149, 147, 156, 94, 73,  
D26/32, 47, 57, 152, 74, 142, 2, 140, 60,  
D26/51, 38, 135, 119; D8/71, 72, 395, 328;  
D19/65, 90; D32/8, 55, 58; 211/106, 119.01,  
211/119.09, 85.15; 439/540.1; 362/183,  
362/249.01-249.11, 356, 365, 523, 190,  
362/191, 351, 352, 357, 358; D24/99, 327,  
D24/134, 227; D2/624; 24/316, 306, 339,  
24/3.1, 3.11, 3.12; D6/557, 462; 52/19,  
52/28; 8/38; D14/511, 496

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D35,683 S *	2/1902	Mygatt	.....	D26/134
D41,081 S *	1/1911	Evans	.....	D26/133
1,721,540 A *	7/1929	Zuleger	.....	362/320
D79,344 S *	9/1929	Webke	.....	D26/136
D79,723 S *	10/1929	Kopp	.....	D26/134
D79,979 S *	11/1929	Ohm	.....	D26/128
D80,735 S *	3/1930	Lazerson	.....	D26/85
D81,147 S *	5/1930	Reed	.....	D26/134
D81,714 S *	7/1930	Ohm	.....	D26/85
D81,715 S *	7/1930	Ohm	.....	D26/85

D97,583 S *	11/1935	Naftalin	.....	D26/86
D124,018 S *	12/1940	Davis	.....	D26/86
2,321,288 A *	6/1943	Finkel	.....	362/358
D190,193 S *	4/1961	Cameron	.....	D26/134
D206,020 S *	10/1966	Little et al.	.....	D26/123
3,585,379 A *	6/1971	Yamamoto et al.	.....	362/311.03
D278,659 S *	4/1985	Lodrick, Sr.	.....	D26/85
D294,737 S *	3/1988	Platner	.....	D26/86
D309,792 S *	8/1990	Mangiarotti	.....	D26/85
D324,112 S *	2/1992	Von Kluck	.....	D26/86
D324,742 S *	3/1992	von Kluck	.....	D26/85
D339,203 S *	9/1993	Namenye et al.	.....	D26/85
D374,303 S *	10/1996	Miranda	.....	D26/134
D374,304 S *	10/1996	Sung	.....	D26/136
D389,270 S *	1/1998	Malmsten	.....	D26/128
D394,124 S *	5/1998	Mackert et al.	.....	D26/85
D394,298 S *	5/1998	Mackert et al.	.....	D22/122
D395,728 S *	6/1998	Dolan	.....	D26/85
D403,457 S *	12/1998	Walz	.....	D26/85
D405,215 S *	2/1999	Dolan	.....	D26/134
D426,017 S *	5/2000	Bleisch	.....	D26/136

(Continued)


*Primary Examiner* — Cathron C Brooks  
*Assistant Examiner* — Kevin K Rudzinski  
(74) *Attorney, Agent, or Firm* — McGarry Bair PC

(57) **CLAIM**  
The ornamental design for a reflector, as shown and described.

**DESCRIPTION**

FIG. 1 is a front right perspective view of a reflector which embodies our design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a right side view thereof, the left side view being a mirror image thereof;  
FIG. 4 is a top view thereof; and,  
FIG. 5 is a bottom view thereof.  
The environmental structure shown in broken lines forms no part of the claimed design. All portions shown in broken lines that do not include surface shading form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




# US D636,113 S

Page 2


---

## U.S. PATENT DOCUMENTS


D426,669 S *	6/2000	Nicholas .....	D26/131	
D456,548 S *	4/2002	Lee .....	D26/72	
D548,872 S *	8/2007	Dubbeldam et al. ....	D26/85	* cited by examiner
D563,030 S *	2/2008	Hsu .....	D26/85	
D604,890 S *	11/2009	Smith .....	D26/118	




**Fig. 1**




**Fig. 2**



**Fig. 3**



**Fig. 4**



**Fig. 5**