



US00D636180S

(12) **United States Design Patent**  
**Sayre**

(10) **Patent No.:** **US D636,180 S**

(45) **Date of Patent:** **\*\* \*Apr. 19, 2011**

(54) **EASILY REMOVABLE PROTECTIVE COVER FOR FIREARM**

(76) Inventor: **R Scott Sayre**, Buena Vista, VA (US)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/334,407**

(22) Filed: **Mar. 25, 2009**

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/262**

(58) **Field of Classification Search** ..... D3/257,  
D3/262, 254, 260, 208, 266, 273, 904, 905;  
206/317; 42/96; 124/25.6; D9/431; D7/709;  
383/118; 224/150

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,437,247	A *	4/1969	Gantress	.....	206/317
3,701,371	A *	10/1972	Stackhouse	.....	206/317
4,489,833	A *	12/1984	Bauer	.....	206/522
4,530,178	A *	7/1985	Rauscher	.....	43/26
4,756,456	A *	7/1988	Schauer	.....	224/150
D372,121	S *	7/1996	Rowe	.....	D3/262
5,678,344	A *	10/1997	Jones et al.	.....	42/96
D448,559	S *	10/2001	Kolpin	.....	D3/262
7,185,607	B1 *	3/2007	Pearson	.....	1/1
D562,549	S *	2/2008	Bodnar	.....	D3/222
7,360,648	B1 *	4/2008	Blaschke	.....	206/317

\* cited by examiner

*Primary Examiner* — Rob Spear

*Assistant Examiner* — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Mark Clodfelter

(57) **CLAIM**

The ornamental design for an easily removable protective cover for firearm, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of my new easily removable protective cover for firearm showing a flap at a right end thereof in a closed position.

FIG. 2 is a front perspective view of my new easily removable protective cover for firearm taken from a point above and to one side thereof showing the flap thereof in an open position.

FIG. 3 is an elevational front view of my new easily removable protective cover for firearm showing the flap thereof in an open position.

FIG. 4 is a rear elevational view of my new easily removable protective cover for firearm showing the flap at the right end thereof in a closed position.


FIG. 5 is a bottom side view of my new easily removable protective cover for firearm showing the flap at the right in an open position. An elevational view taken from a top side would be a mirror image thereof.


FIG. 6 is a left end view of my new easily removable protective cover for firearm; and,

FIG. 7 is an enlarged right end view of my new easily removable protective cover for firearm, and showing the flap in an open position.

The Broken line showings in FIGS. 2, 3, 5 and 7 represent stitching.

**1 Claim, 7 Drawing Sheets**





*FIG. 1*




FIG. 2




FIG. 3





FIG. 4



FIG. 5



FIG. 6



*FIG. 7*