



US00D636438S

(12) **United States Design Patent**
Zapalac

(10) **Patent No.:** **US D636,438 S**

(45) **Date of Patent:** **** Apr. 19, 2011**

(54) **POCKET FOR CONNECTION TO FOLDER**

(76) Inventor: **Shannon Zapalac**, Smithville, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/316,597**

(22) Filed: **Oct. 13, 2009**

(51) **LOC (9) Cl.** **19-04**

(52) **U.S. Cl.** **D19/32**

(58) **Field of Classification Search** D19/1,
D19/2, 26–28, 32–34, 65, 75, 86, 90–91;
D6/631–633; D3/247, 253, 273, 900; D20/34;
D11/14, 30, 44, 62, 79, 81–82, 99, 200, 204,
D11/223, 232, 238; 206/320; 190/115; 281/15.1,
281/19.1, 29, 31, 38, 44; 402/70, 73
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D38,999 S *	1/1908	Jacobs	D11/62
D39,000 S *	1/1908	Jacobs	D11/62
D39,001 S *	1/1908	Jacobs	D11/62
D39,006 S *	1/1908	Jacobs	D11/62
D39,094 S *	2/1908	Jacobs	D11/62
D39,095 S *	2/1908	Jacobs	D11/62
D39,097 S *	2/1908	Jacobs	D11/62
D39,098 S *	2/1908	Jacobs	D11/62
D39,100 S *	2/1908	Jacobs	D11/62
D39,101 S *	2/1908	Jacobs	D11/62
D39,102 S *	2/1908	Jacobs	D11/62
D39,104 S *	2/1908	Jacobs	D11/62
D39,106 S *	2/1908	Jacobs	D11/62
D39,107 S *	2/1908	Jacobs	D11/62
D39,109 S *	2/1908	Jacobs	D11/62
D39,110 S *	2/1908	Jacobs	D11/62
D154,061 S *	6/1949	Patty	D11/30
D299,932 S *	2/1989	Beleckis	D19/26
D308,887 S *	6/1990	Wyant	D19/26

D312,275 S *	11/1990	Wyant	D19/26
D318,878 S *	8/1991	Wyant	D19/26
D325,712 S *	4/1992	Griffith	D11/99
D432,166 S *	10/2000	Matheson	D19/33
D523,474 S *	6/2006	Hayes-Roby	D19/26
D530,093 S *	10/2006	Suppangig	D3/299
7,153,254 B2 *	12/2006	Cordes	493/210
7,306,134 B1 *	12/2007	Ong	229/67.1
D567,286 S *	4/2008	Takahashi	D19/33
D577,768 S *	9/2008	Takahashi	D19/27
D601,188 S *	9/2009	Grassia et al.	D19/26
7,735,719 B2 *	6/2010	Crum	229/67.1

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Kathleen M Sims

(74) *Attorney, Agent, or Firm* — Guy McClung

(57) **CLAIM**

The ornamental design for pocket for connection to folder, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment for a pocket for connection to folder showing my new design.

FIG. 2 is a rear view thereof;

FIG. 3 is a side view thereof;

FIG. 4 is a side view thereof;

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

FIG. 7 is a front view of a second embodiment for a pocket for connection to a folder.

FIG. 8 is a rear view thereof;

FIG. 9 is a side view thereof;

FIG. 10 is a side view thereof;

FIG. 11 is a top view thereof; and,

FIG. 12 is a bottom view thereof.

1 Claim, 2 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9



FIG. 10



FIG. 11



FIG. 12

