US00D636721S

(12) United States Design Patent

Wallet et al.

(10) Patent No.: US D636,721 S
(45) Date of Patent: ** Apr. 26, 2011

(54) **TIRE TREAD**

(75) Inventors: **William J. Wallet**, Marshallville, OH (US); **Jeffrey D. Parker**, Akron, OH (US); **John J. Regallis**, Akron, OH (US); **Andrew T. Miklic**, Akron, OH (US); **Nobuo Shimizu**, Saitama Prefecture (JP)

(73) Assignee: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/355,659**

(22) Filed: **Feb. 11, 2010**

Related U.S. Application Data

(62) Division of application No. 29/303,376, filed on Feb. 7, 2008, now Pat. No. Des. 612,799.

(51) **LOC (9) Cl.** **12-15**
(52) **U.S. Cl.** **D12/579**
(58) **Field of Classification Search** D12/577–579; 152/209.1, 209.8, 209.9, 209.12, 209.18, 152/209.25, 209.22
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D57,878	S	*	5/1921	Waters	D12/577
1,460,247	A	*	6/1923	Johnson	152/209.15
3,196,920	A	*	7/1965	Fishman	152/209.22
3,770,038	A	*	11/1973	Wolfe	152/209.12
4,534,392	A	*	8/1985	Bonko et al.	152/209.12
4,727,917	A	*	3/1988	Stewart	152/209.12
4,791,971	A	*	12/1988	Shinn	152/209.12
5,337,814	A		8/1994	Bonko	
D413,557	S	*	9/1999	Bonko	D12/579
6,179,027	B1		1/2001	Shimizu	
6,250,353	B1		6/2001	Maxwell	
D450,020	S	*	11/2001	Takagi	D12/579

FOREIGN PATENT DOCUMENTS

EP	1698456	A1	12/2004
JP	2002-50894	A	4/2002

OTHER PUBLICATIONS

Jung Seok Kang, International Preliminary Report on Patentability and Written Opinion from corresponding PCT application PCT/US2008/011302, Apr. 7, 2010, 7 pages, Korean Intellectual Property Office, Seonsa-ro, Seo-gu, Daejeon, Korea.
Bill J. Wallet et al., Irrigation Tire, U.S. Appl. No. 11/865,085, filed Oct. 1, 2007, 36 pages, United States.
* cited by examiner

Primary Examiner — Caron D Veynar
Assistant Examiner — George D Kirschbaum

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. **1** is a front elevational view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown;
FIG. **2** is a side elevational view of the right side thereof, the opposite side being identical thereto; and,
FIG. **3** is a side perspective view thereof.
In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the claimed tire tread and the unclaimed sidewall depict environmental subject matter that forms no part of the claimed design.

1 Claim, 3 Drawing Sheets







FIG. 1



FIG. 2



FIG. 3