



US00D636749S

(12) **United States Design Patent**
Kucera

(10) **Patent No.:** **US D636,749 S**
(45) **Date of Patent:** **** Apr. 26, 2011**

- (54) **CEILING-MOUNTED MONITOR SYSTEM**
- (75) Inventor: **Curtis C. Kucera**, Temecula, CA (US)
- (73) Assignee: **Rosen Entertainment Systems, L.P.**,
Corona, CA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/355,104**
- (22) Filed: **Feb. 2, 2010**

4,742,478 A 5/1988 Nigro, Jr. et al.
 4,824,159 A 4/1989 Fluharty et al.
 4,947,296 A 8/1990 Takeuchi et al.
 4,982,996 A 1/1991 Vottero-Fin et al.

(Continued)

FOREIGN PATENT DOCUMENTS

DE 4118711 12/1992

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Kolisch Hartwell, P.C.

Related U.S. Application Data

- (63) Continuation of application No. 29/336,871, filed on May 11, 2009, now Pat. No. Des. 611,919, which is a continuation of application No. 29/297,024, filed on Nov. 1, 2007, now abandoned.

- (51) **LOC (9) Cl.** **14-03**
- (52) **U.S. Cl.** **D14/132**
- (58) **Field of Classification Search** D10/46,
D10/15, 26; D14/132, 133, 157, 125–131,
D14/239, 371, 136, 374–377, 440, 450, 448,
D14/336, 342; D12/421, 425; 296/37.8,
296/24.34, 24.1; 312/7.2; 348/836, 838,
348/180, 184, 325, 739; 341/12; 248/917–924,
248/465; 345/104, 133, 156, 168, 87, 173;
720/605, 669, 600, 655; 369/99, 197; 455/344,
455/347; D21/329, 515, 577, 622, 333, 433,
D21/448, 452, 450, 331; 273/148 B; 446/484,
446/175

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

893,072 A 7/1908 Hayes
 1,819,516 A 8/1931 Kelly
 3,055,204 A 9/1962 Pelcin
 4,438,458 A 3/1984 Münscher
 4,504,910 A 3/1985 Araki et al.
 D285,684 S 9/1986 Akita et al.
 4,633,323 A 12/1986 Kaberkern et al.
 4,735,467 A 4/1988 Wolters

(57) **CLAIM**

The ornamental design for a ceiling-mounted monitor system, as shown and described.

DESCRIPTION

FIG. 1 is an inverted, front perspective view of the design of the invention, with the panel-component in the deployed position (“the Deployed Position”).

FIG. 2 is an inverted, back perspective view of the design of the invention, with the panel-component in the Deployed Position.

FIG. 3 is an inverted, front perspective view of the design of the invention, with the panel-component in the stowed position (“the Stowed Position”); and,

FIG. 4. is an inverted, back perspective view of the design of the invention, with the panel-component in the Stowed Position.


The broken line(s) shown in the drawings are for illustrative purposes only and form no part of the claimed design.

The bottom of the design is flat and unornamented, so the bottom view has been omitted.

The stippling and shading lines shown in the drawings represent the approximate three-dimensional contour of the design, and are not intended to indicate surface decoration. Environment is shown by evenly spaced dash-double-dot-broken lines.

Portions of the ceiling-mounted monitor system that are not shown in the drawing(s) form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D636,749 S

Page 2

U.S. PATENT DOCUMENTS

4,983,951	A	1/1991	Igarashi et al.
4,988,140	A	1/1991	Van Order
5,034,996	A	7/1991	Carey et al.
5,096,271	A	3/1992	Portman
5,144,290	A	9/1992	Honda et al.
5,145,128	A	9/1992	Umeda
5,148,282	A	9/1992	Sedighzadeh
5,173,686	A	12/1992	Fujihara
5,174,644	A	12/1992	Hermansson et al.
5,195,709	A	3/1993	Yasushi
5,335,076	A	8/1994	Reh et al.
5,359,349	A	10/1994	Jambor et al.
5,362,144	A	11/1994	Shioya et al.
5,467,106	A	11/1995	Salomon
5,473,516	A	12/1995	Van Order et al.
D366,067	S	1/1996	Mowrey
5,583,735	A	12/1996	Pease et al.
D390,143	S	2/1998	Rosen
D390,219	S	2/1998	Rosen
5,738,392	A	4/1998	Portman
D394,432	S	5/1998	Rosen
D395,458	S	6/1998	Smith et al.
D398,921	S	9/1998	Rosen
D399,200	S	10/1998	Rosen
5,822,023	A	10/1998	Suman et al.
5,946,055	A	8/1999	Rosen
6,059,255	A	5/2000	Rosen et al.
6,115,086	A	9/2000	Rosen
6,124,902	A	9/2000	Rosen
6,246,449	B1	6/2001	Rosen

6,361,012	B1	3/2002	Chang
D485,812	S	1/2004	Park
D509,491	S *	9/2005	Chen D14/132
D516,529	S *	3/2006	Ko et al. D14/132
D563,920	S *	3/2008	Vitito D14/132
7,379,125	B2	5/2008	Chang
D573,961	S *	7/2008	Jeon D14/132
D581,381	S *	11/2008	Vitito D14/132
7,604,273	B2 *	10/2009	Vitito 296/37.8
7,604,274	B2 *	10/2009	Vitito 296/37.8

FOREIGN PATENT DOCUMENTS

EP	131988	1/1985
FR	2544675	4/1983
GB	2276059	9/1994
JP	60-51087	3/1985
JP	60-51088	3/1985
JP	62-231847	10/1987
JP	2-7082	1/1990
JP	2-31577	2/1990
JP	2-149083	6/1990
JP	3-10476	1/1991
JP	04005142	1/1992
JP	4-185547	7/1992
JP	4-368245	12/1992
JP	5-24486	2/1993
JP	5-185878	7/1993
JP	11310087	11/1999
JP	2000159197	6/2000
JP	2000221901	8/2000

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4