



US00D636836S

(12) **United States Design Patent**
Fitzpatrick et al.

(10) **Patent No.:** **US D636,836 S**
(45) **Date of Patent:** **** Apr. 26, 2011**

(54) **RAIL-MOUNTED SLING ADAPTER**

(75) Inventors: **Richard Fitzpatrick**, Longmont, CO (US); **Michael T. Mayberry**, Denver, CO (US); **Eric Christopher Burt**, Broomfield, CO (US)

(73) Assignee: **Magpul Industries Corporation**, Boulder, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/354,003**

(22) Filed: **Jan. 18, 2010**

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/108**

(58) **Field of Classification Search** D22/108, D22/199; D29/101.1, 108; D3/214, 215, D3/221, 262, 327-328; 224/149, 150, 157-160, 224/190, 250, 257, 258, 575, 586, 913; 42/85, 42/94; D8/349, 367; 24/2.5

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,598,330 B2 * 7/2003 Garrett et al. 42/85
D508,726 S * 8/2005 Storch D22/108
2010/0287808 A1 * 11/2010 King 42/85

OTHER PUBLICATIONS

Wilson Combat Picatinny Rail Sling Mounts, Online Catalog (2010),
http://www.wilsoncombat.com/r_pr_slingmounts.asp.

Bravo Company USA Sling-Swivel-Mounts, Online Catalog (2010),
<http://www.bravocompanyusa.com/Sling-Swivel-Mounts-s/63.htm>.

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Swanson & Bratschun, L.L.C.

(57) **CLAIM**

The ornamental design for a rail-mounted sling adapter, as shown and described.

DESCRIPTION

FIG. 1 is a top, right, rear perspective view of a rail-mounted sling adapter showing our new design;

FIG. 2 is a left side elevation view of the rail-mounted sling adapter of FIG. 1;

FIG. 3 is a right side elevation view of the rail-mounted sling adapter of FIG. 1;

FIG. 4 is a top plan view of the rail-mounted sling adapter of FIG. 1;

FIG. 5 is a bottom plan view of the rail-mounted sling adapter of FIG. 1;


FIG. 6 is a front elevation view of the rail-mounted sling adapter of FIG. 1;

FIG. 7 is a rear elevation view of the rail-mounted sling adapter of FIG. 1; and,

FIG. 8 is a bottom, right, rear elevation view of the rail-mounted sling adapter of FIG. 1.

The broken lines showing portions of the design in all figures is included for the purpose of illustrating environment and forms not part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8