



US00D636889S

(12) **United States Design Patent**
Chia et al.

(10) **Patent No.:** **US D636,889 S**
(45) **Date of Patent:** **** Apr. 26, 2011**

(54) **TUBE HOLDER ASSEMBLY WITH
INTERNAL AND EXTERNAL RIBS**

(75) Inventors: **Neville Yu Leng Chia**, Singapore (SG);
Matthew Siang Si Woo, Singapore (SG)

(73) Assignee: **Becton, Dickinson and Company**,
Franklin Lakes, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/343,309**

(22) Filed: **Sep. 10, 2009**

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/224**

(58) **Field of Classification Search** D24/216,
D24/222–226, 227, 229, 230, 231, 232, 169,
D24/112–114; D10/81; D3/203.1–203.8;
422/99, 102; D9/503, 504, 505, 529, 530,
D9/549; 435/288.1, 288.3, 288.4, 304.1,
435/305.1, 305.3, 305.4

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D302,116	S	*	7/1989	Cassai et al.		D9/549
D366,840	S	*	2/1996	Schagerstrom et al.		D24/224
5,569,286	A	*	10/1996	Peckham et al.		606/181
5,900,291	A	*	5/1999	Pebbles		422/102
D448,672	S	*	10/2001	Cheng et al.		D9/530
D494,475	S	*	8/2004	Thierjung et al.		D9/549
D512,641	S	*	12/2005	Anderson et al.		D9/530
D518,727	S	*	4/2006	Haley et al.		D9/504
D545,678	S	*	7/2007	Dittmer et al.		D9/504
D610,906	S	*	3/2010	Simmons et al.		D9/504

D610,907	S	*	3/2010	Robillard et al.		D9/504
D611,817	S	*	3/2010	Simmons et al.		D9/504
2002/0156439	A1	*	10/2002	Iskra		600/573

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Anhdao Doan

(74) *Attorney, Agent, or Firm* — The Webb Law Firm

(57) **CLAIM**

The ornamental design for a tube holder assembly with internal and external ribs, as shown and described.

DESCRIPTION

FIG. 1 is a generally top-directed perspective view of a tube holder assembly with internal and external ribs in accordance with an embodiment of the present invention;

FIG. 2 is a generally bottom-directed perspective view of the tube holder assembly of FIG. 1;

FIG. 3 is a top view of the tube holder assembly of FIG. 1;

FIG. 4 is a front view of the tube holder assembly of FIG. 1;

FIG. 5 is a left side view of the tube holder assembly of FIG. 1;


FIG. 6 is a right side view of the tube holder assembly of FIG. 1;

FIG. 7 is a bottom view of the tube holder assembly of FIG. 1; and,

FIG. 8 is a rear view of the tube holder assembly of FIG. 1.

The broken lines in the drawing views are included for the purpose of illustrating portions of the tube holder assembly with internal and external ribs that form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG.3




FIG.7




FIG. 4




FIG. 5




FIG. 6




FIG. 8