



US00D637138S

(12) **United States Design Patent**  
**Ehrat**

(10) **Patent No.:** **US D637,138 S**

(45) **Date of Patent:** **\*\* May 3, 2011**

(54) **ROOF BOX ADAPTED TO BE MOUNTED ON THE TOP OF A VEHICLE FOR CARRYING LUGGAGE**

(76) Inventor: **Achim Ehrat**, Wangen (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/363,829**

(22) Filed: **Jun. 15, 2010**

(30) **Foreign Application Priority Data**

Dec. 16, 2009 (DE) ..... 40 2009 006 084

(51) **LOC (9) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/413**

(58) **Field of Classification Search** ..... D12/413,  
D12/414, 406, 412, 414.1; 206/213, 8, 9,  
206/279, 290, 713, 335, 315.1-315.4; D32/35,  
D32/38; D6/317-319, 513-514, 552; 293/37.1,  
293/3, 100; 224/309-310, 315-316, 323-329,  
224/400; D3/304-306; 280/760-762, 848,  
280/727, 769; 296/99.1, 37.1, 100.01, 100.02,  
296/157

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D297,134 S *	8/1988	Levine	.....	D12/413
D297,631 S *	9/1988	Breger	.....	D12/413
4,794,876 A *	1/1989	Levine	.....	114/352
D312,432 S *	11/1990	Lewis	.....	D12/423
D317,429 S *	6/1991	Seaver	.....	D12/413
D336,875 S *	6/1993	Cox	.....	D12/413
D337,086 S *	7/1993	Theodorsen	.....	D12/404
D346,144 S *	4/1994	Katz	.....	D12/409
D406,558 S *	3/1999	Pendergraph	.....	D12/413
D410,224 S *	5/1999	Landy	.....	D12/413
D412,881 S *	8/1999	Behringer	.....	D12/413
D419,954 S *	2/2000	Bradt	.....	D12/413
D434,719 S *	12/2000	McCoy et al.	.....	D12/413
D473,181 S *	4/2003	Schappach	.....	D12/413

D503,144 S *	3/2005	Rex	.....	D12/413
D513,602 S *	1/2006	Lynch	.....	D12/413
D593,482 S *	6/2009	Leopold et al.	.....	D12/413
2005/0045678 A1 *	3/2005	Hurd	.....	224/319

\* cited by examiner

*Primary Examiner* — Caron Veynar

*Assistant Examiner* — Katrina A Kile

(74) *Attorney, Agent, or Firm* — Baker & Daniels LLP

(57) **CLAIM**

The design for a roof box adapted to be mounted on the top of a vehicle for carrying luggage, as shown and described.

**DESCRIPTION**

FIG. 1 is a front corner perspective view of a roof box adapted to be mounted on the top of a vehicle for carrying luggage showing my new design;

FIG. 2 is a side view thereof;

FIG. 3 is a front top perspective view thereof;

FIG. 4 is an opposite side view thereof;

FIG. 5 is a front end view thereof;

FIG. 6 is a rear end view thereof;

FIG. 7 is a top view thereof;

FIG. 8 is a bottom view thereof;

FIG. 9 is a rear corner perspective view thereof; and

FIG. 10 is a bottom corner perspective view thereof.

FIG. 11 is a front corner perspective view of a roof box adapted to be mounted on the top of vehicle for carrying luggage showing a third embodiment of my new design;

FIG. 12 is a side view thereof;

FIG. 13 is a front top perspective view thereof;

FIG. 14 is an opposite side view thereof;

FIG. 15 is a front end view thereof;

FIG. 16 is a rear end view thereof;


FIG. 17 is a top view thereof;

FIG. 18 is a bottom view thereof;

FIG. 19 is a rear corner perspective view thereof; and,

FIG. 20 is a bottom corner perspective view thereof.

**1 Claim, 10 Drawing Sheets**








Fig. 1




Fig. 2






Fig. 3




Fig. 4






Fig. 5




Fig. 6






Fig. 7




Fig. 8






Fig. 9




Fig. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16






FIG. 17




FIG. 18






FIG. 19




FIG. 20