

US00D637151S

(12) **United States Design Patent**
Osaka

(10) **Patent No.:** **US D637,151 S**
(45) **Date of Patent:** **** May 3, 2011**

(54) **TIRE**

(75) Inventor: **Kazuko Osaka**, Osaka (JP)
(73) Assignee: **Toyo Tire & Rubber Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/327,624**

(22) Filed: **Nov. 10, 2008**

(30) **Foreign Application Priority Data**

Jun. 30, 2008 (JP) 2008-016924

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/602**

(58) **Field of Classification Search** D12/568-603;
152/209.1, 209.8, 209.9, 209.12, 209.18,
152/209.25

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D326,071	S	*	5/1992	Enoki et al.	D12/596
D377,000	S		12/1996	Kukimoto		
D461,765	S		8/2002	Nonaka		
D485,232	S		1/2004	Nakamura		
D556,126	S	*	11/2007	Sakuraba et al.	D12/602
D559,171	S	*	1/2008	Sakuraba et al.	D12/602
2006/0102267	A1	*	5/2006	Takahashi et al.	152/209.18

OTHER PUBLICATIONS

- U.S. Appl. No. 29/327,192, Takahashi, Tire, filed Oct. 31, 2008.
- U.S. Appl. No. 29/327,369, Takahashi, Tire, filed Nov. 4, 2008.
- U.S. Appl. No. 29/327,606, Ohashi, Tire, filed Nov. 10, 2008.
- U.S. Appl. No. 29/327,610, Kaji, Tire, filed Nov. 10, 2008.
- U.S. Appl. No. 29/327,622, Osaka, Tire, filed Nov. 10, 2008.
- U.S. Appl. No. 29/327,628, Osaka, Tire, filed Nov. 10, 2008.
- U.S. Appl. No. 29/329,515, Ohashi, Tire, filed Dec. 16, 2008.
- U.S. Appl. No. 29/329,517, Ohara, Tire, filed Dec. 16, 2008.
- U.S. Appl. No. 29/329,518, Miyazaki, Tire, filed Dec. 16, 2008.
- U.S. Appl. No. 29/329,519, Ohashi, Tire, filed Dec. 16, 2008.

* cited by examiner

Primary Examiner — Caron Veynar

Assistant Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Sterne Kessler Goldstein & Fox PLLC



(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a front and rear view of a tire showing my new design;
 FIG. 2 is a top and bottom view thereof;
 FIG. 3 is a left and right side view thereof;
 FIG. 4 is an enlarged view of area 4—4 in FIG. 1;
 FIG. 5 is a cross-sectional view taken along line 5—5 in FIG. 3 and along line 5'—5' in FIG. 4;
 FIG. 6 is a cross-sectional view taken along line 5—5 in FIG. 3 and along line 6—6 in FIG. 4; and,
 FIG. 7 is an enlarged perspective view of FIG. 4.
 The broken lines in the Figures, are for illustrative purposes only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7