



US00D637260S

(12) **United States Design Patent**
Swan

(10) **Patent No.:** **US D637,260 S**

(45) **Date of Patent:** **** May 3, 2011**

(54) **ACCESSORY MOUNT**

(76) **Inventor:** **Richard E. Swan**, E. Bridgewater, MA
(US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/353,895**

(22) **Filed:** **Jan. 15, 2010**

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/109**

(58) **Field of Classification Search** D22/108-110,
D22/199; D16/132, 130, 133, 330, 134;
359/399, 823, 744; 42/111, 133, 119, 122
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,428,655 A	9/1922	Noske
2,161,051 A	6/1939	Humeston
2,436,948 A	3/1948	Williams
2,790,241 A	4/1957	Dickenson
2,810,963 A	10/1957	Harper
3,276,377 A	10/1966	Bell
3,877,166 A	4/1975	Ward
4,027,414 A	6/1977	Felix
4,085,511 A	4/1978	Kovac
4,249,315 A	2/1981	Hopson, III
4,310,980 A	1/1982	Pilkington
4,722,496 A	2/1988	Hermann et al.
4,845,871 A	7/1989	Swan
4,860,480 A	8/1989	Ruger
4,905,396 A	3/1990	Bechtel
4,934,085 A	6/1990	Lough
5,142,806 A	9/1992	Swan
5,155,915 A	10/1992	Repa
5,276,988 A	1/1994	Swan
5,375,361 A	12/1994	Rustick
5,533,292 A	7/1996	Swan
5,590,484 A	1/1997	Mooney et al.
5,606,818 A	3/1997	Hardee
5,669,173 A	9/1997	Rodney, Jr.

5,680,725 A	10/1997	Bell
5,694,712 A	12/1997	Plonka
6,295,754 B1	10/2001	Otteman et al.
6,363,648 B1	4/2002	Kranich et al.
6,442,883 B1	9/2002	Waterman et al.
6,449,893 B2	9/2002	Spinner
6,490,822 B1	12/2002	Swan

(Continued)

FOREIGN PATENT DOCUMENTS

DE 2006011542 U 12/2006

OTHER PUBLICATIONS

A.R.M.S. #19 Dovetail/Stanag Throw Lever Scope Mount, www.mountsplus.com/miva/merchant.mvc?page=MSP/PROD.

(Continued)

Primary Examiner — T. Chase Nelson

Assistant Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Barlow, Josephs & Holmes, Ltd.

(57) **CLAIM**


The ornamental design for an accessory mount, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the accessory mount in accordance with the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The elements depicted in broken line in the various figures are included for environmental purposes only, and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D637,260 S

Page 2

U.S. PATENT DOCUMENTS

6,513,276 B2 2/2003 Mendoza-Orozco
6,598,330 B2 7/2003 Garrett et al.
6,598,333 B1 7/2003 Randazzo et al.
6,629,381 B1 10/2003 Keng
6,922,934 B1 8/2005 Huan
6,931,778 B1 8/2005 Nelson et al.
7,272,904 B2 9/2007 Larue
D588,672 S * 3/2009 Swan D22/109
7,614,175 B2 * 11/2009 Davis et al. 42/127
7,757,422 B1 * 7/2010 Swan 42/96
7,802,395 B1 * 9/2010 Swan 42/127
2004/0000083 A1 1/2004 Grant, Jr.
2004/0148842 A1 8/2004 Aalto et al.

2006/0162227 A1 7/2006 Samson
2006/0207156 A1 9/2006 Larue
2007/0234623 A1 10/2007 Carney
2009/0038201 A1 * 2/2009 Cheng et al. 42/127

OTHER PUBLICATIONS

TM9-4931-710-14&P, Technical Manual, Operator, Organizational, Direct Support and General Support Maintenance Manual, Headquarters, Department of the Army. Aug. 1986.
A.R.M.S. Mount Safety Latch, PentagonLight, pp. 1-2, Dec. 6, 2007, "www.pentagonlight.com/item_detail.cfm_id.444".

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7