



US00D637666S

(12) **United States Design Patent**  
**Erickson et al.**

(10) **Patent No.:** **US D637,666 S**

(45) **Date of Patent:** **\*\* May 10, 2011**

(54) **THROWABLE BALL**

(75) Inventors: **Nathan John Erickson**, Bloomington, MN (US); **Evan E Lederman**, Haubstadt, IN (US); **Nicholas Stanford Blair**, Whitefish Bay, WI (US)

(73) Assignee: **Indian Industries, Inc.**, Evansville, IN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/365,675**

(22) Filed: **Jul. 13, 2010**

(51) **LOC (9) Cl.** ..... **21-02**

(52) **U.S. Cl.** ..... **D21/712**

(58) **Field of Classification Search** ..... D21/707-714;  
473/569-614; 446/34, 213, 400, 486

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

149,908	A *	4/1874	Baldwin	.....	473/571
1,193,992	A *	8/1916	Cigol	.....	473/571
3,884,466	A	5/1975	MacDonald et al.		
4,003,574	A	1/1977	MacDonald et al.		
5,000,451	A	3/1991	MacDonald et al.		
5,066,012	A *	11/1991	Stark	.....	473/570
5,123,645	A	6/1992	MacDonald et al.		
5,219,104	A *	6/1993	Hinschlager et al.	.....	224/412
5,306,191	A	4/1994	Phillips et al.		
D356,129	S *	3/1995	Wolf	.....	D21/712
5,419,552	A	5/1995	Meyer		
5,460,368	A	10/1995	Pearson		
D371,178	S	6/1996	Pearson		
5,611,532	A *	3/1997	Forrest, Sr.	.....	473/576

D386,229	S *	11/1997	Hicks	.....	D21/712
5,785,571	A *	7/1998	Camp	.....	446/124
5,853,339	A *	12/1998	Scerbo	.....	473/576
6,045,469	A	4/2000	Gleason et al.		
6,132,282	A	10/2000	Camp		
D511,029	S *	10/2005	Willinger	.....	D30/160
D552,307	S *	10/2007	Renforth et al.	.....	D30/160
2005/0075197	A1 *	4/2005	Horkan	.....	473/438
2008/0039246	A1 *	2/2008	Martino	.....	473/569

**FOREIGN PATENT DOCUMENTS**

EM	000080270-0001	*	12/2003
JP	D1253783	*	10/2005

\* cited by examiner

*Primary Examiner* — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Woodard Emhardt Moriarty McNett & Henry LLP

(57) **CLAIM**

The ornamental design for a throwable ball, as shown and described.

**DESCRIPTION**

FIG. 1 is a front and left perspective view of the throwable ball showing our new design;

FIG. 2 is a left side view thereof;

FIG. 3 is a front view thereof; the rear view being the same the same except for the area occupied by the raised lettering shown in broken lines;


FIG. 4 is a rear and right perspective view thereof;


FIG. 5 is a right side view thereof; and,

FIG. 6 is a top view thereof.


The broken lines are included for the purpose of illustrating portions of the throwable ball that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**







**Fig. 1**




**Fig. 2**




**Fig. 3**



**Fig. 4**



**Fig. 5**



**Fig. 6**