



US00D637797S

(12) **United States Design Patent**  
**Kim**

(10) **Patent No.:** **US D637,797 S**

(45) **Date of Patent:** **\*\* May 17, 2011**

(54) **DOUBLE VISOR**

(75) Inventor: **Ju Hee Kim**, Seoul (KR)

(73) Assignee: **Dada Corp.**, Seoul (KR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/311,052**

(22) Filed: **Dec. 17, 2008**

(51) **LOC (9) Cl.** ..... **02-03**

(52) **U.S. Cl.** ..... **D2/893**

(58) **Field of Classification Search** ..... D2/865,  
D2/866, 868, 869, 870, 871, 872, 873, 874,  
D2/875, 876, 877, 878, 879, 880, 881, 882,  
D2/883, 884, 886, 891, 893; 2/171, 175.1,  
2/175.2, 175.5, 195.1, 195.2, 195.3, 195.4,  
2/195.6, 195.7, 200.1, 200.2, 209.11, 209.12,  
2/209.13

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|           |   |   |         |            |       |         |
|-----------|---|---|---------|------------|-------|---------|
| D77,666   | S | * | 2/1929  | Bender     | ..... | D2/876  |
| D286,221  | S | * | 10/1986 | Murray, II | ..... | D2/876  |
| 4,793,006 | A | * | 12/1988 | Dawson     | ..... | 2/195.1 |
| D299,981  | S | * | 2/1989  | Proctor    | ..... | D2/893  |
| D300,081  | S | * | 3/1989  | Proctor    | ..... | D2/893  |
| D300,386  | S |   | 3/1989  | Proctor    |       |         |
| 4,985,935 | A | * | 1/1991  | Hur        | ..... | 446/27  |
| D321,274  | S | * | 11/1991 | Hur        | ..... | D2/872  |
| 5,197,150 | A | * | 3/1993  | Bedient    | ..... | 2/10    |

|           |   |   |         |                    |       |         |
|-----------|---|---|---------|--------------------|-------|---------|
| 5,689,830 | A | * | 11/1997 | Pflum              | ..... | 2/195.1 |
| 5,701,607 | A |   | 12/1997 | Kaiser             |       |         |
| 5,778,454 | A |   | 7/1998  | Oxman              |       |         |
| D401,392  | S | * | 11/1998 | DiGiglia           | ..... | D2/879  |
| D455,539  | S | * | 4/2002  | Kates              | ..... | D2/882  |
| D475,840  | S | * | 6/2003  | Park               | ..... | D2/893  |
| D492,470  | S | * | 7/2004  | Park               | ..... | D2/893  |
| D499,231  | S | * | 12/2004 | Toppel             | ..... | D2/882  |
| D517,781  | S | * | 3/2006  | Ortley et al.      | ..... | D2/882  |
| D570,580  | S | * | 6/2008  | Paul et al.        | ..... | D2/882  |
| D578,740  | S | * | 10/2008 | Schussleder et al. | ..... | D2/882  |
| D583,536  | S | * | 12/2008 | Glennie            | ..... | D2/893  |
| D612,134  | S | * | 3/2010  | Hoffman            | ..... | D2/872  |

\* cited by examiner

*Primary Examiner* — Karen E Eldridge Powers

(57) **CLAIM**

The ornamental design for a double visor, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a double visor showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right elevational view thereof;

FIG. 4 is a left elevational view thereof;

FIG. 5 is a top elevational view thereof; and,

FIG. 6 is a bottom elevational view thereof.

The broken line showing of the crown is for illustrative purposes only and forms no part of the claimed design. But the broken lines within the visor represent stitches and form part of the claim.

**1 Claim, 3 Drawing Sheets**





FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6

