

US00D638176S

(12) **United States Design Patent**
Mugford

(10) **Patent No.:** **US D638,176 S**

(45) **Date of Patent:** **** May 17, 2011**

(54) **HARNESS**

(76) **Inventor:** **Roger Arthur Mugford, Chertsey (GB)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/309,237**

(22) **Filed:** **Jul. 11, 2008**

(30) **Foreign Application Priority Data**

Jan. 15, 2008 (EM) 862362-0001
Jan. 15, 2008 (EM) 862362-0002

(51) **LOC (9) Cl.** **30-04**

(52) **U.S. Cl.** **D30/152**

(58) **Field of Classification Search** D30/144,
D30/145, 161, 169, 199; 119/850, 863, 856-858,
119/174, 792, 907; 224/42.11, 241, 582,
224/505; 54/44.1; D3/231; 441/127, 115,
441/55, 80, 136, 88, 106, 108
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,530,309 A * 7/1985 Collins 119/863
D424,761 S * 5/2000 Mortenson D30/152
6,164,245 A * 12/2000 Johnson 119/712
6,314,915 B1 * 11/2001 Pope et al. 119/712
6,450,130 B1 * 9/2002 Goldberg 119/792
D480,843 S * 10/2003 Sullivan D30/152
6,637,377 B2 * 10/2003 Lobanoff et al. 119/792
6,694,923 B1 * 2/2004 Fouche 119/792
6,827,044 B2 * 12/2004 Lobanoff et al. 119/771
7,281,363 B2 * 10/2007 Woerner 54/37.1
7,284,505 B1 * 10/2007 Paxton et al. 119/792
7,357,099 B2 * 4/2008 Smith et al. 119/771
D569,050 S * 5/2008 Spater et al. D30/152
7,370,608 B1 * 5/2008 Friedman 119/850

D591,011 S * 4/2009 Madere et al. D30/152
D611,663 S * 3/2010 Bergschneider et al. D30/152
7,757,641 B1 * 7/2010 Worden 119/856

(Continued)

FOREIGN PATENT DOCUMENTS

EM 000095450-0001 2/2004

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/347,848, filed Jun. 23, 2010, entitled "Harness".

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — Dinesh Agarwal, P.C.

(57) **CLAIM**

The ornamental design for a harness, as shown and described.

DESCRIPTION

FIG. 1 is a left perspective view of a harness of the present invention;

FIG. 2 is a top plan view of the harness of FIG. 1;

FIG. 3 is a bottom plan view of the harness of FIG. 1;

FIG. 4 is a right side view of the harness of FIG. 1, the left side view being similar thereto; and

FIG. 5 is a front elevational view of the harness of FIG. 1; and

FIG. 6 is a rear elevational view of the harness of FIG. 1;

FIG. 7 is a left perspective view of an alternative embodiment of the harness of the present invention;

FIG. 8 is a top plan view of the harness of FIG. 7;


FIG. 9 is a bottom plan view of the harness of FIG. 7;

FIG. 10 is a right side view of the harness of FIG. 7, the left side view being similar thereto; and

FIG. 11 is a front elevational view of the harness of FIG. 7; and,

FIG. 12 is a rear elevational view of the harness of FIG. 7.

1 Claim, 8 Drawing Sheets



US D638,176 S

Page 2

U.S. PATENT DOCUMENTS

D621,561	S *	8/2010	Siklosi et al.	D30/152
2002/0053324	A1 *	5/2002	Kato	119/856
2003/0150399	A1 *	8/2003	Lobanoff et al.	119/771
2003/0150400	A1 *	8/2003	Lobanoff et al.	119/771
2004/0025804	A1 *	2/2004	Smith et al.	119/792
2006/0037562	A1 *	2/2006	Woerner	119/856
2006/0054109	A1 *	3/2006	Smith	119/856
2006/0112903	A1 *	6/2006	Zutis et al.	119/792
2006/0254534	A1 *	11/2006	Lin	119/792
2007/0034164	A1 *	2/2007	Sporn	119/856
2008/0047501	A1 *	2/2008	Madere et al.	119/863
2008/0314336	A1 *	12/2008	Church et al.	119/771

FOREIGN PATENT DOCUMENTS

EM	000142047-0001	5/2004
EM	000439443-0001	5/2008
EM	000439443-0002	5/2008
GB	1019303	4/1984
GB	1025599	3/1985
GB	2097656	11/2000
GB	2098882	1/2001
GB	2 370 485 A	7/2002
GB	2 407 471 A	5/2005

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12