



US00D638375S

(12) **United States Design Patent**
Clymer et al.

(10) **Patent No.:** **US D638,375 S**
(45) **Date of Patent:** **** May 24, 2011**

- (54) **REMOTE CONTROL KEYPAD**
- (75) Inventors: **Erica L. Clymer**, Nazareth, PA (US);
Edward M. Felegy, Jr., Macungie, PA (US); **Gregory M. Snyder**,
Germansville, PA (US); **Gregory Altonen**, Easton, PA (US); **Elliot G. Jacoby**, Glenside, PA (US); **Joel S. Spira**, Coopersburg, PA (US)
- (73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/356,282**
- (22) Filed: **Feb. 23, 2010**
- (51) **LOC (9) Cl.** **14-03**
- (52) **U.S. Cl.** **D13/168**
- (58) **Field of Classification Search** D13/168;
D10/104, 106; D14/218, 247; 340/825.22,
340/825.24, 825.25, 825.31, 825.36, 825.69,
340/825.72; 341/176; 455/352; 398/106
See application file for complete search history.

- D510,073 S 9/2005 Jacoby et al.
- D518,794 S * 4/2006 Hedderich et al. D13/164
- D592,606 S 5/2009 Felegy, Jr. et al.
- D592,607 S 5/2009 Felegy, Jr. et al.
- D592,608 S 5/2009 Felegy, Jr. et al.
- D592,609 S 5/2009 Felegy, Jr. et al.
- D596,143 S 7/2009 Felegy, Jr. et al.
- D602,446 S 10/2009 Felegy, Jr. et al.
- D604,702 S 11/2009 Felegy, Jr. et al.
- D606,030 S 12/2009 Felegy, Jr. et al.
- D611,431 S 3/2010 Snyder et al.
- D611,915 S 3/2010 Felegy, Jr. et al.
- D614,146 S 4/2010 Felegy, Jr. et al.
- D614,147 S 4/2010 Snyder et al.
- D614,588 S 4/2010 Snyder et al.
- D615,046 S 5/2010 Felegy, Jr. et al.

FOREIGN PATENT DOCUMENTS

CA 123790 S 6/2009



OTHER PUBLICATIONS

- U.S. Appl. No. 29/293,669, filed Dec. 4, 2007, Biery et al.
- U.S. Appl. No. 29/316,534, filed Oct. 5, 2009, Biery et al.
- U.S. Appl. No. 29/345,905, filed Oct. 23, 2009, Felegy, Jr. et al.
- U.S. Appl. No. 29/345,916, filed Oct. 23, 2009, Felegy, Jr. et al.
- U.S. Appl. No. 29/345,922, filed Oct. 23, 2009, Jacoby et al.
- U.S. Appl. No. 29/345,927, filed Oct. 23, 2009, Jacoby et al.
- U.S. Appl. No. 29/356,287, filed Feb. 23, 2010, Clymer et al.
- U.S. Appl. No. 29/356,291, filed Feb. 23, 2010, Clymer et al.
- U.S. Appl. No. 29/356,293, filed Feb. 23, 2010, Clymer et al.
- Crestron Electronics, Inc., Integration: Solutions for Dealers, Consultants, and Programmers, 2005, pp. 1, 4, 9.
- Crestron Electronics, Inc., Cameo Keypads Specification Sheet, Jul. 2006, 2 pages.
- Crestron Electronics, Inc., Cameo Keypads Operations and Installation Guide, Feb. 2006, pp. front cover, i, 1-8, rear cover.
- Lutron Electronics Co., Inc., see Touch Ordering Guide, Jan. 2002, 4 pages.
- Dynalite Intelligent Light Pty Ltd, Light News, Aug. 2005, 8 pages, issue 2.
- Leviton Manufacturing Co., Inc., Vizia-RF 4-Scene Controller with IR-Remote Capability Product Specifications Sheet, 2006, 4 pages.
- Lutron Electronics Co., Inc., RadioRA Visor Control Transmitter Specification Submittal Sheet, Jan. 2002, 2 pages.
- Lutron Electronics Co., Inc., RadioRA Visor Control Transmitter Installation Instruction Sheet, Nov. 2001, 2 pages.
- Lutron Electronics Co., Inc., Aurora Wireless Lighting Control Brochure, Nov. 2006, 2 pages.
- Lutron Electronics Co., Inc., Maestro Wireless Remote Lighting Control Brochure, Sep. 2007, 2 pages.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D422,567 S 4/2000 Mayo et al.
- D453,742 S 2/2002 Butler et al.
- D456,783 S 5/2002 Mayo et al.
- D461,782 S 8/2002 Butler et al.
- D462,332 S 9/2002 Mayo et al.
- D465,460 S 11/2002 Mayo et al.
- D465,770 S 11/2002 Bennett et al.
- D466,090 S 11/2002 Bennett et al.
- D466,091 S 11/2002 Bennett et al.
- D466,484 S 12/2002 Bennett et al.
- D475,024 S 5/2003 Bennett et al.
- D475,025 S 5/2003 Bennett et al.
- 6,593,530 B2 * 7/2003 Hunt 174/66
- D485,534 S 1/2004 Mayo et al.
- D490,780 S 6/2004 Mayo et al.
- D496,335 S 9/2004 Spira et al.
- 6,930,260 B2 * 8/2005 Clegg et al. 200/5 A
- D509,805 S 9/2005 Spira



Lutron Electronics Co., Inc., Stanza Hotel Guestroom Light Control Brochure, Feb. 20, 2008, 12 pages.

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Mark E. Rose; Philip N. Smith; Bridget L. McDonough

(57) **CLAIM**

We claim the ornamental design for a remote control keypad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a remote control keypad according to a first embodiment of our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a rear view thereof.

FIG. 4 is a left side view thereof.

FIG. 5 is a right side view thereof.

FIG. 6 is a top view thereof.

FIG. 7 is a bottom view thereof.

FIG. 8 is a perspective view of a remote control keypad according to a second embodiment of our new design.

FIG. 9 is a front view thereof, the rear, left side, right side, top, and bottom views, respectively, of the second embodiment being identical to the rear, left side, right side, top, and bottom views of the first embodiment.

FIG. 10 is a perspective view of a remote control keypad according to a third embodiment of our new design.

FIG. 11 is a front view thereof.

FIG. 12 is a rear view thereof.

FIG. 13 is a left side view thereof.

FIG. 14 is a right side view thereof, the top and bottom views, respectively, of the third embodiment being identical to the top and bottom views of the first embodiment.

FIG. 15 is a perspective view of a remote control keypad according to a fourth embodiment of our new design.

FIG. 16 is a front view thereof, the rear, left side, right side, top, and bottom views, respectively, of the fourth embodiment being identical to the rear, left side, right side, top, and bottom views of the third embodiment.

FIG. 17 is a perspective view of a remote control keypad according to a fifth embodiment of our new design.

FIG. 18 is a front view thereof.

FIG. 19 is a rear view thereof.

FIG. 20 is a left side view thereof.

FIG. 21 is a right side view thereof, the top and bottom views, respectively, of the fifth embodiment being identical to the top and bottom views of the first embodiment.

FIG. 22 is a perspective view of a remote control keypad according to a sixth embodiment of our new design.

FIG. 23 is a front view thereof, the rear, left side, right side, top, and bottom views, respectively, of the sixth embodiment being identical to the rear, left side, right side, top, and bottom views of the fifth embodiment.

FIG. 24 is a perspective view of a remote control keypad according to a seventh embodiment of our new design.

FIG. 25 is a front view thereof.

FIG. 26 is a rear view thereof.

FIG. 27 is a left side view thereof.

FIG. 28 is a right side view thereof.

FIG. 29 is a top view thereof.

FIG. 30 is a bottom view thereof.

FIG. 31 is a perspective view of a remote control keypad according to an eighth embodiment of our new design; and,

FIG. 32 is a front view thereof, the rear, left side, right side, top, and bottom views, respectively, of the eighth embodiment being identical to the rear, left side, right side, top, and bottom views of the seventh embodiment.

FIG. 33 is a perspective view of a remote control keypad according to a ninth embodiment of our new design.

FIG. 34 is a front view thereof.

FIG. 35 is a rear view thereof.

FIG. 36 is a left side view thereof.

FIG. 37 is a right side view thereof.

FIG. 38 is a top view thereof.

FIG. 39 is a bottom view thereof.

FIG. 40 is a perspective view of a remote control keypad according to a tenth embodiment of our new design.

FIG. 41 is a front view thereof, the rear, left side, right side, top, and bottom views, respectively, of the tenth embodiment being identical to the rear, left side, right side, top, and bottom views of the ninth embodiment.

FIG. 42 is a perspective view of a remote control keypad according to an eleventh embodiment of our new design.

FIG. 43 is a front view thereof.

FIG. 44 is a rear view thereof.

FIG. 45 is a left side view thereof.

FIG. 46 is a right side view thereof, the top and bottom views, respectively, of the eleventh embodiment being identical to the top and bottom views of the ninth embodiment.

FIG. 47 is a perspective view of a remote control keypad according to a twelfth embodiment of our new design; and,

FIG. 48 is a front view thereof, the rear, left side, right side, top, and bottom views, respectively, of the twelfth embodiment being identical to the rear, left side, right side, top, and bottom views of the eleventh embodiment.

1 Claim, 33 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12



Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48