



US00D638964S

(12) **United States Design Patent**  
**Cappuccio**

(10) **Patent No.:** **US D638,964 S**

(45) **Date of Patent:** **\*\* May 31, 2011**

(54) **HELMET LIGHT**

(76) **Inventor:** **Louis W. Cappuccio**, Hammonton, NJ  
(US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/372,462**

(22) **Filed:** **Nov. 23, 2010**

(51) **LOC (9) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/39**

(58) **Field of Classification Search** ..... D26/37,  
D26/38, 39, 46, 51; 362/104, 103, 105, 106,  
362/108, 253, 157, 158, 194, 195, 200, 201;  
D20/10, 43, 19

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D162,355 S *	3/1951	Smith	.....	D20/10
D255,275 S *	6/1980	Brown	.....	D26/60
D267,980 S *	2/1983	Gibstein et al.	.....	D26/37
D275,523 S *	9/1984	Ader	.....	D26/39
D336,530 S *	6/1993	Choi et al.	.....	D26/28
D340,777 S *	10/1993	Choi et al.	.....	D26/38
D345,022 S *	3/1994	Hamasaki	.....	D26/28
D361,143 S *	8/1995	Helvey	.....	D26/39
D361,396 S *	8/1995	Bruckler	.....	D26/39
D362,736 S *	9/1995	Leather	.....	D26/39
D371,617 S *	7/1996	Anwyl-Davies	.....	D26/39
D392,403 S *	3/1998	Benensohn	.....	D26/39
D393,087 S *	3/1998	Johnston et al.	.....	D26/39
D394,720 S *	5/1998	Yuen	.....	D26/39
D395,403 S *	6/1998	Hysek	.....	D10/30
D402,316 S *	12/1998	Evarts et al.	.....	D20/42
D407,511 S *	3/1999	Wright et al.	.....	D26/39
D411,894 S *	7/1999	Rick	.....	D26/39

D425,558 S *	5/2000	Tarpenning et al.	.....	D19/26
D430,901 S *	9/2000	Palmer	.....	D20/10
D433,713 S *	11/2000	Olivetti	.....	D20/10
D516,125 S *	2/2006	Fincher	.....	D20/10
D554,782 S *	11/2007	Shiu	.....	D26/39
D555,265 S *	11/2007	Shiu	.....	D26/39

\* cited by examiner

*Primary Examiner* — Ian Simmons

*Assistant Examiner* — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Stuart M. Goldstein

(57) **CLAIM**

The ornamental design for a helmet light, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of the helmet light of the present invention.

FIG. 2 is a front view of the helmet light of the present invention.

FIG. 3 is a rear view of the helmet light of the present invention.

FIG. 4 is a top view of the helmet light of the present invention.

FIG. 5 is bottom view of the helmet light of the present invention.


FIG. 6 is an elevation view of the helmet light of the present invention.

FIG. 7 is the opposite elevation view of the helmet light of the present invention; and,

FIG. 8. is an isometric view of the helmet light of the present invention in its anticipated use on a helmet.

The broken line showing is for environmental purposes only and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8