



US00D638964S

(12) **United States Design Patent**  
**Cappuccio**

(10) **Patent No.:** **US D638,964 S**

(45) **Date of Patent:** **\*\* May 31, 2011**

(54) **HELMET LIGHT**

(76) Inventor: **Louis W. Cappuccio**, Hammonton, NJ  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/372,462**

(22) Filed: **Nov. 23, 2010**

(51) **LOC (9) Cl.** ..... **26-02**

(52) **U.S. Cl.** ..... **D26/39**

(58) **Field of Classification Search** ..... D26/37,  
D26/38, 39, 46, 51; 362/104, 103, 105, 106,  
362/108, 253, 157, 158, 194, 195, 200, 201;  
D20/10, 43, 19

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|              |         |                 |       |        |
|--------------|---------|-----------------|-------|--------|
| D162,355 S * | 3/1951  | Smith           | ..... | D20/10 |
| D255,275 S * | 6/1980  | Brown           | ..... | D26/60 |
| D267,980 S * | 2/1983  | Gibstein et al. | ..... | D26/37 |
| D275,523 S * | 9/1984  | Ader            | ..... | D26/39 |
| D336,530 S * | 6/1993  | Choi et al.     | ..... | D26/28 |
| D340,777 S * | 10/1993 | Choi et al.     | ..... | D26/38 |
| D345,022 S * | 3/1994  | Hamasaki        | ..... | D26/28 |
| D361,143 S * | 8/1995  | Helvey          | ..... | D26/39 |
| D361,396 S * | 8/1995  | Bruckler        | ..... | D26/39 |
| D362,736 S * | 9/1995  | Leather         | ..... | D26/39 |
| D371,617 S * | 7/1996  | Anwyl-Davies    | ..... | D26/39 |
| D392,403 S * | 3/1998  | Benensohn       | ..... | D26/39 |
| D393,087 S * | 3/1998  | Johnston et al. | ..... | D26/39 |
| D394,720 S * | 5/1998  | Yuen            | ..... | D26/39 |
| D395,403 S * | 6/1998  | Hysek           | ..... | D10/30 |
| D402,316 S * | 12/1998 | Evarts et al.   | ..... | D20/42 |
| D407,511 S * | 3/1999  | Wright et al.   | ..... | D26/39 |
| D411,894 S * | 7/1999  | Rick            | ..... | D26/39 |

|              |         |                   |       |        |
|--------------|---------|-------------------|-------|--------|
| D425,558 S * | 5/2000  | Tarpenning et al. | ..... | D19/26 |
| D430,901 S * | 9/2000  | Palmer            | ..... | D20/10 |
| D433,713 S * | 11/2000 | Olivetti          | ..... | D20/10 |
| D516,125 S * | 2/2006  | Fincher           | ..... | D20/10 |
| D554,782 S * | 11/2007 | Shiu              | ..... | D26/39 |
| D555,265 S * | 11/2007 | Shiu              | ..... | D26/39 |

\* cited by examiner

*Primary Examiner* — Ian Simmons

*Assistant Examiner* — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Stuart M. Goldstein

(57) **CLAIM**

The ornamental design for a helmet light, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of the helmet light of the present invention.

FIG. 2 is a front view of the helmet light of the present invention.

FIG. 3 is a rear view of the helmet light of the present invention.

FIG. 4 is a top view of the helmet light of the present invention.

FIG. 5 is bottom view of the helmet light of the present invention.


FIG. 6 is an elevation view of the helmet light of the present invention.

FIG. 7 is the opposite elevation view of the helmet light of the present invention; and,

FIG. 8. is an isometric view of the helmet light of the present invention in its anticipated use on a helmet.

The broken line showing is for environmental purposes only and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8