



US00D639137S

(12) **United States Design Patent**  
**Ray, II**

(10) **Patent No.:** **US D639,137 S**

(45) **Date of Patent:** **\*\* Jun. 7, 2011**

(54) **SAFETY LOCK**

D614,476 S \* 4/2010 Buhse ..... D8/343  
7,721,576 B2 \* 5/2010 Amir ..... 70/472  
D630,489 S \* 1/2011 Gratzki et al. .... D8/330

(75) Inventor: **John W. Ray, II**, Grand Junction, CO  
(US)

(73) Assignee: **Rocky Mountain Elevator Products, LLC**, Grand Junction, CO (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/377,082**

(22) Filed: **Oct. 15, 2010**

(51) **LOC (9) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/330**

(58) **Field of Classification Search** ..... D8/330,  
D8/331, 336, 338, 339, 340, 343; 70/14,  
70/2, 51, 57, 57.1, 91, 107, 141; 292/2, 32,  
292/137, 288, 289, 290, 292

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,555,860 A \* 1/1971 Atkinson ..... 70/312  
D303,623 S \* 9/1989 Pearson ..... D8/330  
D344,881 S \* 3/1994 Sauerland ..... D8/331  
D496,578 S \* 9/2004 Gotou et al. .... D8/330  
7,221,272 B2 \* 5/2007 Hosselet ..... 340/542  
7,296,448 B1 \* 11/2007 Shaw ..... 70/283  
D560,467 S \* 1/2008 Pattison ..... D8/331  
D580,739 S \* 11/2008 Pelletier et al. .... D8/331  
7,482,907 B2 \* 1/2009 Denison et al. .... 340/5.73  
D593,398 S \* 6/2009 Pelletier et al. .... D8/330

**OTHER PUBLICATIONS**

Porta, Inc., Electro-Mechanical Door Lock, website: [http://www.portainc.com/emdl\\_2006.htm](http://www.portainc.com/emdl_2006.htm), printed Oct. 15, 2010; Physical Address: 2420 Hamilton Rd., Arlington Heights, IL 60005.

\* cited by examiner

*Primary Examiner* — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — The Reilly Intellectual Property Law Firm, P.C.; Ellen Reilly; John E. Reilly

(57) **CLAIM**

The ornamental design for a safety lock, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right and top perspective view of a safety lock showing my new design;

FIG. 2 is a rear, left and top perspective view thereof;

FIG. 3 is a rear, left and top perspective view with the keeper engaged with the lock;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a left side elevational view thereof;


FIG. 6 is a rear elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is bottom plan view thereof.

The broken lines are for illustrative purpose only and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8