



US00D639151S

(12) **United States Design Patent**
Giemza

(10) **Patent No.:** **US D639,151 S**
(45) **Date of Patent:** **** Jun. 7, 2011**

(54) **CONNECTING DEVICE FOR USE WITH WIRE**

(75) Inventor: **Lee Mark Giemza**, Wakefield (GB)

(73) Assignee: **Gripple Limited** (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/361,671**

(22) Filed: **May 13, 2010**

(51) **LOC (9) Cl.** **08-08**

(52) **U.S. Cl.** **D8/383**

(58) **Field of Classification Search** D8/382,
D8/383; D11/212; 24/115 R; 439/404,
439/409, 410, 417

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,147,145	A *	9/1992	Facey et al.	403/314
7,063,299	B2 *	6/2006	Facey et al.	248/328
D567,641	S *	4/2008	Clarke	D8/383
D568,730	S *	5/2008	Clarke	D8/383
D574,701	S *	8/2008	Clarke	D8/383
D579,411	S *	10/2008	Jowett	D13/133

* cited by examiner

Primary Examiner — Holly Baynham

Assistant Examiner — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Clark Hill PLC

(57) **CLAIM**

The ornamental design for a connecting device for use with wire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the connecting, device for use with wire;

FIG. 2 is a view of the left side of the connecting device for use with wire;

FIG. 3 is a view of the right side of the connecting device for use with wire;


FIG. 4 is a top view of the connecting device for use with wire;

FIG. 5 is a bottom view of the connecting device for use with wire;

FIG. 6 is a view of the front of the connecting device for use with wire; and,

FIG. 7 is a view of the rear of the connecting device for use with wire.

1 Claim, 3 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7