



US00D639724S

(12) **United States Design Patent**  
**Otsuji**

(10) **Patent No.:** **US D639,724 S**

(45) **Date of Patent:** **\*\* Jun. 14, 2011**

(54) **TIRE FOR AUTOMOBILE**

(75) Inventor: **Hideki Otsuji, Akashi (JP)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/381,192**

(22) Filed: **Dec. 16, 2010**

(30) **Foreign Application Priority Data**

Jul. 7, 2010 (JP) ..... 2010-016624

(51) **LOC (9) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/544**

(58) **Field of Classification Search** ..... D12/533-567,  
D12/579, 900-901; 152/209.1-209.28, 455  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D288,426 S	2/1987	Konishi et al. ....	D12/147
D291,875 S	9/1987	Hayakawa et al. ....	D12/147
D313,386 S	1/1991	Goto et al. ....	D12/147
D366,232 S	1/1996	Ueda ..... ..	D12/146
D381,943 S	8/1997	Ueda ..... ..	D12/146
D388,844 S	1/1998	Bonko ..... ..	D12/146
D411,150 S	6/1999	Rooney ..... ..	D12/147
D428,587 S	7/2000	Maxwell ..... ..	D12/147
D464,613 S	10/2002	Weaver ..... ..	D12/579
D471,151 S	3/2003	Otsuji ..... ..	D12/559
D484,088 S	12/2003	Kindig ..... ..	D12/544
D492,643 S	7/2004	Robert ..... ..	D12/579
D503,375 S *	3/2005	Heinen ..... ..	D12/567
D517,977 S	3/2006	Robert ..... ..	D12/579
D525,190 S	7/2006	Oohigashi ..... ..	D12/544
D527,703 S	9/2006	Oohigashi ..... ..	D12/579
D549,163 S	8/2007	Maus et al. ....	D12/579
D553,558 S	10/2007	Sakakibara et al. ....	D12/544
D555,076 S	11/2007	Sakakibara et al. ....	D12/544

D569,788 S	5/2008	Otsuji ..... ..	D12/544
D574,317 S	8/2008	Otsuji ..... ..	D12/544
D579,864 S *	11/2008	Haas et al. ....	D12/566
D583,306 S *	12/2008	Fontaine et al. ....	D12/566
D606,005 S *	12/2009	Cerny ..... ..	D12/544
D613,674 S *	4/2010	Lo ..... ..	D12/544
D626,499 S	11/2010	Fujita ..... ..	D12/559
D626,500 S	11/2010	Fujita ..... ..	D12/561

\* cited by examiner

*Primary Examiner* — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire for automobile, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire for automobile showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire for automobile showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is a minor image thereof; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**








FIG-1






FIG-2




FIG-3






FIG-4




FIG-5






FIG-6