



US00D639902S

(12) **United States Design Patent**
Ammons et al.

(10) **Patent No.:** **US D639,902 S**
(45) **Date of Patent:** **** Jun. 14, 2011**

(54) **SEALING STRUCTURE FOR BLOCKING AN OPENING**

(75) Inventors: **Mark Ammons**, New Albany, IN (US);
Donald W. Shepherd, Shelbyville, KY (US)

(73) Assignee: **Caldwell Tanks, Inc.**, Louisville, KY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/362,442**

(22) Filed: **May 25, 2010**

(51) **LOC (9) Cl.** **23-01**

(52) **U.S. Cl.** **D23/213; D25/60**

(58) **Field of Classification Search** D23/213,
D23/228; 239/548, 550, 566; 261/115; D25/60
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,802,543	A	8/1957	Clark
3,419,251	A	12/1968	Eckert
3,522,000	A	7/1970	Kinney
4,211,735	A	7/1980	Berlin
4,247,308	A	1/1981	Calvert et al.
4,343,771	A	8/1982	Edwards et al.
D310,860	S	9/1990	Delepine
D311,053	S	10/1990	Delepine
D311,054	S	10/1990	Delepine
4,980,099	A	12/1990	Myers et al.

(Continued)

FOREIGN PATENT DOCUMENTS

WO 98047604 10/1998

OTHER PUBLICATIONS

Shepherd, Donald W.; Fraser, Donald; Impact of Heat Rate, Emissions and Reliability from the Application of Wet Compression on Combustion Turbines; 2005; pp. 1-6; US.

(Continued)

Primary Examiner — Robin V Webster
(74) *Attorney, Agent, or Firm* — Robert H. Eichenberger; Scott W. Higdon; Middleton Reutlinger

(57) **CLAIM**

The ornamental design for a sealing structure for blocking an opening, as shown and described.

DESCRIPTION

This application is related to the following co-pending applications: U.S. application Ser. No. 12/787,243, filed May 25, 2010 and entitled Removable Mistng Array for an Abatement System; U.S. application Ser. No. 12/787,374, filed May 25, 2010 and entitled System and Method for Repairing or Servicing a Mistng Array Assembly of an Abatement System; U.S. application Ser. No. 12/787,372, filed May 25, 2010 and entitled Mistng Array Assembly Having Adjustable Nozzles; U.S. application Ser. No. 12/787,373, filed May 25, 2010 and entitled Mistng Array Assembly Having Upwardly and Downwardly Disposed Nozzles; U.S. application Ser. No. 29/362,440, filed May 25, 2010 and entitled Nozzle Tubing Having Offset Nozzles; U.S. application Ser. No. 29/362,443, filed May 25, 2010 and also entitled Nozzle Tubing Having Offset Nozzles; and U.S. application Ser. No. 29/362,444, filed May 25, 2010 and entitled Mistng Array Frame Structure.

FIG. 1 is an upper front perspective view of a sealing structure for blocking an opening of the present invention;

FIG. 2 is an upper rear perspective view of the sealing structure for blocking an opening of FIG. 1;

FIG. 3 is a front plan view of the sealing structure for blocking an opening of FIG. 1;

FIG. 4 is a right side view of the sealing structure for blocking an opening of FIG. 1, the left side view being a mirror image thereof;

FIG. 5 is a rear plan view of the sealing structure for blocking an opening of FIG. 1; and,

FIG. 6 is a top view of the sealing structure for blocking an opening of FIG. 1, the bottom view being a mirror image thereof.

The broken lines showing environmental structure are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D639,902 S

Page 2

U.S. PATENT DOCUMENTS

5,065,944 A 11/1991 D'Amato
D353,873 S 12/1994 Schoeneman
5,387,376 A 2/1995 Gasser
5,465,537 A 11/1995 Fullwood
5,523,028 A 6/1996 Reens et al.
5,651,502 A 7/1997 Edwards
5,867,977 A 2/1999 Zachary et al.
5,930,990 A 8/1999 Zachary et al.
6,007,604 A 12/1999 Risse
6,051,055 A 4/2000 Ukawa et al.
6,076,739 A 6/2000 Littleford et al.
6,230,091 B1 5/2001 McQuinn
6,344,177 B1 2/2002 Littleford
6,613,133 B2 9/2003 Piaskowski
6,719,829 B1 4/2004 Schwab

6,857,268 B2 2/2005 Stinger et al.
D503,772 S 4/2005 Mody et al.
6,946,021 B2 9/2005 Aoyagi
7,096,665 B2 8/2006 Stinger et al.
D588,711 S 3/2009 Ryba
D616,110 S 5/2010 Rimsky

OTHER PUBLICATIONS

Jolly, Sanjeev; Wet Compression—A Powerful Means of Enhancing Combustion Turbine Capacity; Presented at Power-Gen International; Dec. 2002; pp. 1-12; Florida, US.

Gajjar, Hemant; Chaker, Mustapha; Dighe, Ajay; Meher-Homji, Cyrus B.; Proceedings of ASME Turbo Expo 2003; Inlet Fogging for a 655 MW Combined Cycle Power Plant-Design, Implementation and Operation Experience; Jun. 2003; pp. 1-9; Georgia, US.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6