

US00D639965S

(12) **United States Design Patent**
Wehsely-Swiczinsky

(10) **Patent No.:** **US D639,965 S**
(45) **Date of Patent:** **** Jun. 14, 2011**

(54) **ORTHOSIS**

(75) Inventor: **Adam Wehsely-Swiczinsky**, Vienna
(AT)

(73) Assignee: **Otto Bock Healthcare GmbH**,
Duderstadt (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/366,582**

(22) Filed: **Jul. 27, 2010**

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/192**

(58) **Field of Classification Search** D24/190-192;
D29/121.2; 602/3, 5, 6, 13, 21-23, 26, 27,
602/30, 60-66; 2/16, 22, 24, 239; 128/869,
128/879, 893, 894, DIG. 20; 36/4, 8.1-8.3,
36/30, 88-89, 91, 96, 99, 102, 108; D2/980,
D2/989, 902, 913

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,028,861	A *	4/1962	Shapiro	602/65
3,298,365	A *	1/1967	Lewis	602/27
3,970,083	A *	7/1976	Carrigan	602/65
4,280,488	A *	7/1981	Polsky et al.	602/27
4,527,556	A *	7/1985	Nelson	602/27
4,724,847	A *	2/1988	Nelson	602/27
4,825,856	A *	5/1989	Nelson	602/27
4,878,504	A *	11/1989	Nelson	602/27
4,960,135	A *	10/1990	Nelson	602/27
5,007,417	A *	4/1991	Bender	602/27
5,657,767	A *	8/1997	Nelson et al.	128/882
5,741,222	A *	4/1998	Fiore	602/27
D394,112	S *	5/1998	Duback et al.	D24/192
5,795,316	A *	8/1998	Gaylord	602/27
5,853,381	A *	12/1998	Stevenson et al.	602/65
6,117,098	A *	9/2000	Weber et al.	602/27
6,126,625	A *	10/2000	Lundberg	602/27
6,155,997	A *	12/2000	Castro	602/27
6,394,971	B1 *	5/2002	Slautterback et al.	602/27

6,398,750	B1 *	6/2002	Quinn et al.	602/65
6,652,474	B1 *	11/2003	Quinn et al.	602/21
6,663,583	B1 *	12/2003	Janis	602/65
7,014,621	B2 *	3/2006	Nelson	602/27
D552,744	S *	10/2007	Verkade et al.	D24/192
7,497,839	B2 *	3/2009	Quinn et al.	602/23

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1342697 10/2008

(Continued)

OTHER PUBLICATIONS

Otto Bock Orthosis (date unknown).

(Continued)

Primary Examiner — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Holland & Hart, LLP

(57) **CLAIM**

The ornamental design for an orthosis, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an orthosis according to the present invention;

FIG. 2 is left side view thereof;

FIG. 3 is front view thereof;

FIG. 4 is right side view thereof;

FIG. 5 is rear view thereof;


FIG. 6 is top view thereof; and,

FIG. 7 is bottom view thereof.

The broken lines showing a foot, a leg and shoe laces illustrate environmental structure which forms no part of the claimed design.

It is understood that the broken lines around the edge binding and on the rear strip within the surface of the claimed design indicates stitch lines which forms part of the claimed design.

1 Claim, 7 Drawing Sheets



US D639,965 S

Page 2

U.S. PATENT DOCUMENTS

7,651,472 B2 * 1/2010 Gaylord et al. 602/27

FOREIGN PATENT DOCUMENTS

TW	302219	8/1984
TW	D131389	10/2009
TW	D137231	10/2010
TW	D137331	10/2010

OTHER PUBLICATIONS

Search Report of Taiwanese Design Patent Application No.
099303250 dated Feb. 16, 2011 (1 page).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7