



US00D640185S

(12) **United States Design Patent**  
**Scheuren et al.**

(10) **Patent No.:** **US D640,185 S**  
(45) **Date of Patent:** **\*\* Jun. 21, 2011**

(54) **TIRE**

(75) Inventors: **Daniel Scheuren**, Arlon (BE); **Samuel Marie Dominique Blanc**, Luxembourg (LU); **André Cuny**, Habay La Neuve (BE)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/384,742**

(22) Filed: **Feb. 3, 2011**

(51) **LOC (9) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/588**

(58) **Field of Classification Search** ..... D12/568,  
D12/586-603, 900-901, 551-556;  
152/209.1-209.28, 455

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D385,237 S	10/1997	Schuster	.....	D12/146
D386,730 S *	11/1997	Hubbell, Jr.	.....	D12/588
D394,034 S	5/1998	Feider et al.	.....	D12/147
D414,449 S	9/1999	Schuster	.....	D12/146
D426,500 S *	6/2000	Picard et al.	.....	D12/588
D448,707 S	10/2001	Maziarka et al.	.....	D12/147
D449,022 S	10/2001	Cazin- Bourguignon et al.	.....	D12/147
D473,513 S	4/2003	Welbes	.....	D12/588
D503,145 S *	3/2005	Labbe et al.	.....	D12/588
D511,741 S	11/2005	Cazin- Bourguignon et al.	.....	D12/601
D528,500 S	9/2006	Le et al.	.....	D12/600
D533,498 S	12/2006	Scheuren et al.	.....	D12/588
D535,611 S *	1/2007	Sundkvist et al.	.....	D12/588
D541,737 S	5/2007	Cazin-Bour	.....	D12/600
D554,052 S *	10/2007	Dumigan et al.	.....	D12/587
D554,055 S	10/2007	Beauguitte et al.	.....	D12/600
D560,600 S *	1/2008	Dixon et al.	.....	D12/588
D581,351 S *	11/2008	Morrison et al.	.....	D12/588
D583,311 S *	12/2008	Bonko et al.	.....	D12/588

D586,730 S	2/2009	Scheuren et al.	.....	D12/553
D588,984 S *	3/2009	Lee	.....	D12/588
D591,224 S *	4/2009	Ludwig et al.	.....	D12/588
D592,590 S	5/2009	Janesh et al.	.....	D12/600
D597,478 S	8/2009	Scheuren et al.	.....	D12/584
D599,281 S	9/2009	Scheuren	.....	D12/553
D610,971 S	3/2010	Zimmerman et al.	.....	D12/600
D612,801 S *	3/2010	Scheifele	.....	D12/588
D614,119 S *	4/2010	Umstot et al.	.....	D12/587
D620,430 S	7/2010	Gillard et al.	.....	D12/600
D626,501 S	11/2010	Cazin- Bourguignon et al.	.....	D12/600
D627,712 S *	11/2010	Cole et al.	.....	D12/587
D627,713 S	11/2010	Le et al.	.....	D12/600

\* cited by examiner

*Primary Examiner* — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Richard B. O’Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**








FIG-1






FIG-2




FIG-3






FIG-4






FIG-5






FIG-6