



US00D640483S

(12) **United States Design Patent**  
**Daley et al.**

(10) **Patent No.:** **US D640,483 S**  
(45) **Date of Patent:** **\*\* Jun. 28, 2011**

(54) **TRAVEL BASSINET**

(75) Inventors: **Richard A. Daley**, Santa Rosa Beach, FL (US); **Lawrence O. Freese**, Santa Rosa Beach, FL (US)

(73) Assignee: **BRICA, Inc.**, Charlotte, NC (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/363,740**

(22) Filed: **Jun. 14, 2010**

(51) **LOC (9) Cl.** ..... **06-02**

(52) **U.S. Cl.** ..... **D6/390; D6/333**

(58) **Field of Classification Search** ..... D6/385-387,  
D6/390, 391, 333, 331.503; 5/93.1, 98.1,  
5/98.3, 99.1, 100, 101, 102, 105, 945, 947,  
5/655, 93.2

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D410,153	S *	5/1999	McAllister	.....	D6/390
6,851,136	B2 *	2/2005	Brereton	.....	5/102
D575,535	S *	8/2008	Bizzell	.....	D6/333
D575,536	S *	8/2008	Bizzell et al.	.....	D6/333
D577,918	S *	10/2008	Bizzell	.....	D6/333
7,661,158	B2 *	2/2010	Daeseleire	.....	5/102
D632,899	S *	2/2011	Bizzell et al.	.....	D6/333

\* cited by examiner

*Primary Examiner* — Janice Seeger

(74) *Attorney, Agent, or Firm* — Carter & Schedler, P.A.

(57) **CLAIM**

The ornamental design for a travel bassinet, as shown and described.

**DESCRIPTION**

FIG. 1 is a three-dimensional view of a travel bassinet embodying the invention, in its in-use configuration; FIG. 2 is a front side elevational view of the travel bassinet of FIG. 1, “front” being an arbitrary designation for purposes of description;

FIG. 3 is a rear side elevational view of the travel bassinet of FIG. 1, “rear” likewise being an arbitrary designation for purposes of description;

FIG. 4 is a top plan view of the travel bassinet of FIG. 1;

FIG. 5 is an underside view of the travel bassinet of FIG. 1;

FIG. 6 is a left end view of the travel bassinet of FIG. 1;

FIG. 7 is a right end view of the travel bassinet of FIG. 1;

FIG. 8 is a three-dimensional view of the travel bassinet embodying the invention, in its folded-up configuration, and with a carrying handle facing upwardly, thus upside down with reference to the in-use configuration as shown in FIGS. 1-3, 6 and 7;

FIG. 9 is a right end view of the travel bassinet of FIG. 8;

FIG. 10 is a left end view of the travel bassinet of FIG. 8;



FIG. 11 is a front side elevational view of the travel bassinet of FIG. 8;

FIG. 12 is a rear side elevational view of the travel bassinet of FIG. 8;

FIG. 13 is a top plan view of the travel bassinet of FIG. 8, with the carrying handle visible; and,

FIG. 14 is an underside view of the travel bassinet of FIG. 8.

**1 Claim, 11 Drawing Sheets**






FIG. 7






FIG. 2




FIG. 3




FIG. 4






FIG. 5



**FIG. 6**



**FIG. 7**




FIG. 8






FIG. 9






FIG. 10




**FIG. 11**



**FIG. 12**



**FIG. 13**



**FIG. 14**