



US00D640516S

(12) **United States Design Patent**
Krohmer et al.

(10) **Patent No.:** **US D640,516 S**

(45) **Date of Patent:** **** Jun. 28, 2011**

(54) **BOX JOINT ALIGNMENT TOOL**

(75) Inventors: **Steven Krohmer**, Coon Rapids, MN
(US); **Daniel L. Wenning**, Minneapolis,
MN (US)

(73) Assignee: **Rockler Companies, Inc.**, Medina, MN
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/358,399**

(22) Filed: **Mar. 26, 2010**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/14**

(58) **Field of Classification Search** D8/14,
D8/403; D21/492, 503; D25/102, 121, 135-136;
33/451, 481; 52/126.1, 288.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,981,494	A *	11/1934	Berg	52/631
3,357,464	A *	12/1967	Vroman	269/41
3,556,626	A *	1/1971	Schock	312/348.1
5,205,944	A *	4/1993	Taylor	249/194
5,720,114	A *	2/1998	Guerin	33/451
5,884,904	A *	3/1999	Martini	269/41
D411,739	S *	6/1999	Havens	D8/403
6,357,194	B1 *	3/2002	Jones, Jr.	52/590.1
D457,972	S *	5/2002	Harel	D25/121
D486,920	S *	2/2004	Hein et al.	D25/102
D487,156	S *	2/2004	Hein et al.	D25/102
D487,520	S *	3/2004	Hein et al.	D25/102
6,729,033	B2 *	5/2004	Jevons et al.	33/481
6,996,911	B1 *	2/2006	Dinius	33/481
D542,127	S *	5/2007	Carr et al.	D8/403
D549,841	S *	8/2007	Beard, Jr.	D25/102

D549,844	S *	8/2007	Beard, Jr.	D25/102
D557,432	S *	12/2007	Smith	D25/136
D575,412	S *	8/2008	Beard, Jr.	D25/102
7,618,221	B2 *	11/2009	Thomson et al.	410/99
D628,880	S *	12/2010	Kindig	D8/403
7,866,102	B2 *	1/2011	Meahl	52/288.1
2005/0087663	A1 *	4/2005	Schroeder	248/345.1
2006/0272224	A1 *	12/2006	Beard	52/126.1

* cited by examiner

Primary Examiner — Philip S Hyder

Assistant Examiner — Roselynn Cody

(74) *Attorney, Agent, or Firm* — Altera Law Group, LLC

(57) **CLAIM**


The ornamental design for a box joint alignment tool, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view thereof;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a side view thereof (from the right as seen in FIG. 1);
 FIG. 5 is a side view thereof (from the left as seen in FIG. 1);
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof;
 FIG. 8 is an isometric view of a second embodiment thereof;
 FIG. 9 is a front view thereof;
 FIG. 10 is a rear view thereof;
 FIG. 11 is a side view thereof (from the right as seen in FIG. 8);
 FIG. 12 is a side view thereof (from the left as seen in FIG. 8);
 FIG. 13 is a top view thereof; and,
 FIG. 14 is a bottom view thereof.

The broken lines in the drawings illustrate features that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14