



US00D640556S

(12) **United States Design Patent**
Bragg et al.

(10) **Patent No.:** **US D640,556 S**

(45) **Date of Patent:** **** Jun. 28, 2011**

(54) **DISPENSING CLOSURE**

(75) Inventors: **Jason Bragg**, Chandler, IN (US); **Karla Koring**, Mt. Vernon, IN (US); **Robert J. Seib**, Haubstadt, IN (US)

(73) Assignee: **Rexam Closures and Containers Inc.**, Evansville, IN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/380,390**

(22) Filed: **Dec. 3, 2010**

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/449; D9/454**

(58) **Field of Classification Search** 215/305, 215/306, 322; 220/260, 375, 810, 811; 222/492, 222/494, 521; D9/423, 438, 443, 446, 447, D9/449, 450, 453, 529, 560, 738; D7/392.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|------|---------|------------------|---------|
| 995,720 | A | 6/1911 | Reiss | |
| 4,403,712 | A | 9/1983 | Wiesinger | |
| 4,813,560 | A | 3/1989 | Begley | |
| 5,083,671 | A | 1/1992 | Hayes | |
| D353,328 | S * | 12/1994 | Nuffer | D9/446 |
| 5,531,349 | A | 7/1996 | Wojcik et al. | |
| D426,772 | S | 6/2000 | Kahl | |
| 6,253,937 | B1 | 7/2001 | Anderson | |
| 6,321,923 | B1 | 11/2001 | Wood | |
| 6,439,410 | B1 | 8/2002 | Dubach | |
| 6,460,712 | B2 * | 10/2002 | Smith et al. | 215/235 |
| 6,530,493 | B2 | 3/2003 | Anderson | |
| D475,923 | S * | 6/2003 | Renz | D9/446 |
| D513,585 | S | 1/2006 | Biesecker et al. | |
| 6,981,607 | B2 | 1/2006 | Lown et al. | |
| D517,916 | S * | 3/2006 | Satt | D9/449 |
| D521,381 | S | 5/2006 | Hicks et al. | |
| D521,866 | S | 5/2006 | Hicks et al. | |
| D522,363 | S | 6/2006 | Hicks et al. | |
| D536,975 | S | 2/2007 | Smith et al. | |
| 7,546,931 | B2 | 6/2009 | Giusti | |
| D609,568 | S | 2/2010 | Mazurkiewicz | |
| 2006/0191933 | A1 | 8/2006 | Hicks et al. | |

OTHER PUBLICATIONS

Sequist Closures, Frost(TM) A cool new way to make your products hot, product sheet, 2002, pp. 1-3, Sequist Closures.
Sequist Closures, Horizon(TM) two colors. one horizon. endless possibilities, product sheet, 2002, p. 1-3, Sequist Closures.
Sequist Closures, Purity(TM) Add "Purity(TM)" to your package!, product sheet, pp. 1-5, Sequist Closures.
Sequist Closures, Technical Manual, <http://www.sequistclosures.com/@SCWebsite2/Tech%20Manual%20Index.pdf>, pp. 1-36, Sequist Closures.

* cited by examiner

Primary Examiner — Susan Bennett Hattan

(74) *Attorney, Agent, or Firm* — Chad D. Bruggeman; John F. Salazar; Middleton Reutlinger


(57) **CLAIM**

The ornamental design for a dispensing closure, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the dispensing closure in a closed position;
FIG. 2 is a top perspective view of the dispensing closure according to FIG. 1 in an open position;
FIG. 3 is a front view of the dispensing closure according to FIG. 1;
FIG. 4 is a back view of the dispensing closure according to FIG. 1;
FIG. 5 is a left or right side view of the dispensing closure according to FIG. 1, the two views being identical;
FIG. 6 is a top view of the dispensing closure according to FIG. 1; and,
FIG. 7 is a bottom view of the dispensing closure according to FIG. 1.
The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design and all other broken lines depict unclaimed environment; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7