



US00D640565S

(12) **United States Design Patent**
Tsuruta

(10) **Patent No.:** **US D640,565 S**
(45) **Date of Patent:** **** Jun. 28, 2011**

(54) **PACKAGING CONTAINER**

(75) Inventor: **Orihiro Tsuruta**, Takasaki (JP)

(73) Assignee: **ORIHIRO Plantdew Co., Ltd.**,
Takasaki-shi, Gunma-ken (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/368,154**

(22) Filed: **Aug. 18, 2010**

(30) **Foreign Application Priority Data**

Feb. 18, 2010 (JP) 2010-003672

(51) **LOC (9) Cl.** **09-05**

(52) **U.S. Cl.** **D9/702**

(58) **Field of Classification Search** D9/702-703,
D9/705, 707, 710, 714, 434-435, 527, 696;
206/822; 383/61.1, 63, 80-81, 103-104,
383/203, 901; 222/92, 107

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D435,440 S * 12/2000 Croft et al. D9/696
D442,078 S * 5/2001 Fuquen D9/707
D463,275 S * 9/2002 Garcia D9/696

(Continued)

OTHER PUBLICATIONS

Experiment Percolates into Pouched Coffee Concentrate, *Packaging Digest*, Aug. 2004, p. 2.

Primary Examiner — Ian Simmons

Assistant Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson &
Bear LLP

(57) **CLAIM**

The ornamental design for a packaging container, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a packaging container in a filled state showing my new design, the back view being an identical image thereto;

FIG. 2 is a left side elevation view thereof, the right side elevation view being an identical image thereto;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front view of the design in a first alternative environment, the back view being an identical image thereto;

FIG. 6 is a left side elevation view of the design in the first alternative environment shown in FIG. 5, the right side elevation view being an identical image thereto;

FIG. 7 is a top plan view of the design in the first alternative environment shown in FIG. 5;

FIG. 8 is a bottom plan view of the design in the first alternative environment shown in FIG. 5;

FIG. 9 is a front view of the design in a second alternative environment, the back view being an identical image thereto;

FIG. 10 is a left side elevation view of the design in the second alternative environment shown in FIG. 9, the right side elevation view being an identical image thereto;

FIG. 11 is a top plan view of the design in the second alternative environment shown in FIG. 9;

FIG. 12 is a bottom plan view of the design in the second alternative environment shown in FIG. 9;

FIG. 13 is a front view of the design in a third alternative environment, the back view being an identical image thereto;


FIG. 14 is a left side elevation view of the design in the third alternative environment shown in FIG. 13, the right side elevation view being an identical image thereto;

FIG. 15 is a top plan view of the design in the third alternative environment shown in FIG. 13; and,

FIG. 16 is a bottom plan view of the design in the third alternative environment shown in FIG. 13.

The broken lines in the drawings depict environmental subject matter only and form no part of the claimed design. The dot-dashed lines denote the boundary of the claim, and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D640,565 S

Page 2

U.S. PATENT DOCUMENTS

D573,037 S *	7/2008	Murray	D9/710	D593,870 S *	6/2009	Wehling	D9/708
D580,782 S *	11/2008	Murray	D9/707	D594,752 S *	6/2009	Medema et al.	D9/707
D580,783 S *	11/2008	Murray	D9/707	D606,882 S *	12/2009	Sharp et al.	D9/707
D584,168 S *	1/2009	Murray	D9/710					

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 7




Fig. 6




Fig. 5



Fig. 8




Fig. 11




Fig. 10




Fig. 9




Fig. 12




Fig. 15




Fig. 14




Fig. 13




Fig. 16