



US00D640795S

(12) **United States Design Patent**
Jackson et al.

(10) **Patent No.:** **US D640,795 S**
(45) **Date of Patent:** **** Jun. 28, 2011**

(54) **SAMPLE COLLECTOR**
(75) Inventors: **Adele Jackson**, Stittsville (CA); **Rod Muir**, South Mountain (CA); **Roy Sunstrum**, Richmond (CA); **Romeo Graham**, Chelsea (CA); **Ian Curry**, Kanata (CA); **Mike Sirois**, Ottawa (CA)

D425,625 S 5/2000 Niermann
D445,908 S 7/2001 Conway
D447,812 S 9/2001 Conway
6,562,300 B2 * 5/2003 Rosen et al. 422/550
D599,032 S 8/2009 Bucholtz et al.

FOREIGN PATENT DOCUMENTS

CA 2488769 12/2003
CA 2632614 6/2007

(73) Assignee: **DNA Genotek Inc.**, Ontario (CA)

OTHER PUBLICATIONS

(**) Term: **14 Years**

Canadian Industrial Design Certificate of Registration, Registration No. 127470, dated Jun. 21, 2010.

(21) Appl. No.: **29/368,375**

Canadian Industrial Design Certificate of Registration, Registration No. 132896, dated Jun. 21, 2010.

(22) Filed: **Aug. 23, 2010**

Canadian Industrial Design Certificate of Registration, Registration No. 132897, dated Jun. 21, 2010.

Related U.S. Application Data

European Community Design Application No. 001095186-0001, dated Feb. 20, 2009.

(62) Division of application No. 29/313,955, filed on Feb. 20, 2009, now Pat. No. Des. 631,554.

European Community Design Application No. 001095186-0002, dated Feb. 20, 2009.

(30) **Foreign Application Priority Data**

European Community Design Application No. 001095186-0003, dated Feb. 20, 2009.

Aug. 21, 2008 (CA) 127470

International Search Report for Application No. PCT/CA2009/001153, dated Nov. 27, 2009.

(51) **LOC (9) Cl.** **24-01**

* cited by examiner

(52) **U.S. Cl.** **D24/216**

(58) **Field of Classification Search** D24/216,
D24/222-226, 231, 232; D10/81; 422/99,
422/102; 435/288.1, 304.1

Primary Examiner — T. Chase Nelson

Assistant Examiner — Anhdao Doan

See application file for complete search history.

(74) *Attorney, Agent, or Firm* — James H. Velerna, Esq.;
Lathrop & Gage LLP

(56) **References Cited**

(57) **CLAIM**

U.S. PATENT DOCUMENTS

The ornamental design for a sample collector, as shown and described.

D213,292 S * 2/1969 Arsenault D24/121
D256,053 S * 7/1980 Steigerwald D24/224
D287,570 S 1/1987 Olsen
4,741,346 A * 5/1988 Wong et al. 435/288.1
D310,264 S * 8/1990 Leoncavallo et al. D24/224
D318,727 S 7/1991 Spike
D325,444 S 4/1992 Murashita et al.
D355,606 S 2/1995 Manera
D357,985 S 5/1995 Burns
D362,184 S 9/1995 Carr
5,567,309 A 10/1996 Classon et al.
D385,793 S 11/1997 Marsal
D424,440 S 5/2000 Wilkinson et al.

DESCRIPTION

FIG. 1 is a top plan view of the sample collector illustrating the second variant of the present design, with the lid shown in the open position;

FIG. 2 is a bottom plan view of the present design as shown in FIG. 1;

FIG. 3 is a front view of the present design as shown in FIG. 1;

FIG. 4 is a rear view of the present design as shown in FIG. 1;




FIG. 5 is a left side view of the present design as shown in FIG. 1;
 FIG. 6 is a right side view of the present design as shown in FIG. 1;
 FIG. 7 is a top, rear, right side perspective view of the present design as shown in FIG. 1;
 FIG. 8 is a top, rear, right side perspective view of the sample collector as shown in FIG. 1, with the tube removed;
 FIG. 9 is a top, front, left side perspective view of the present design of FIG. 1, with the lid shown in the closed position;
 FIG. 10 is a cross-sectional view of the sample collector shown in FIG. 5, taken along the line 10—10 in FIG. 4;
 FIG. 11 is a top plan view of the sample collector illustrating the third variant of the present design with the lid shown in the open position;
 FIG. 12 is a bottom plan view of the present design as shown in FIG. 11;
 FIG. 13 is a front view of the present design as shown in FIG. 11;
 FIG. 14 is a rear view of the present design as shown in FIG. 11;
 FIG. 15 is a left side view of the present design as shown in FIG. 11;
 FIG. 16 is a right side view of the present design as shown in FIG. 11;
 FIG. 17 is a top, rear, right side perspective view of the present design as shown in FIG. 11;
 FIG. 18 is a top, rear, right side perspective view of the sample collector as shown in FIG. 11, with the tube removed;
 FIG. 19 is a top, front, left side perspective view of the present design of FIG. 11, with the lid shown in the closed position;
 FIG. 20 is a cross-sectional view of the sample collector shown in FIG. 15, taken along the line 20—20 in FIG. 14;
 FIG. 21 is a top plan view of the sample collector illustrating the fifth variant of the present design with the lid shown in the open position;
 FIG. 22 is a bottom plan view of the present design as shown in FIG. 21;
 FIG. 23 is a front view of the present design as shown in FIG. 21;
 FIG. 24 is a rear view of the present design as shown in FIG. 21;
 FIG. 25 is a left side view of the present design as shown in FIG. 21;
 FIG. 26 is a right side view of the present design as shown in FIG. 21;
 FIG. 27 is a top, rear, right side perspective view of the present design as shown in FIG. 21;
 FIG. 28 is a top, rear, right side perspective view of the sample collector as shown in FIG. 21, with the tube removed;
 FIG. 29 is a top, front, left side perspective view of the present design of FIG. 21, with the lid shown in the closed position;
 FIG. 30 is a cross-sectional view of the sample collector shown in FIG. 25, taken along the line 30—30 in FIG. 24;
 FIG. 31 is a top plan view of the sample collector illustrating the sixth variant of the present design with the lid shown in the open position;
 FIG. 32 is a bottom plan view of the present design as shown in FIG. 31;
 FIG. 33 is a front view of the present design as shown in FIG. 31;

FIG. 34 is a rear view of the present design as shown in FIG. 31;
 FIG. 35 is a left side view of the present design as shown in FIG. 31;
 FIG. 36 is a right side view of the present design as shown in FIG. 31;
 FIG. 37 is a top, rear, right side perspective view as shown in FIG. 31;
 FIG. 38 is a top, rear, right side perspective view of the sample collector as shown in FIG. 31, with the tube removed;
 FIG. 39 is a top, front, left side perspective view of the present design of FIG. 31, with the lid shown in the closed position;
 FIG. 40 is a cross-sectional view of the sample collector shown in FIG. 35, taken along the line 40—40 in FIG. 34;
 FIG. 41 is a top plan view of the sample collector illustrating the eighth variant of the present design with the lid shown in the open position;
 FIG. 42 is a bottom plan view of the present design as shown in FIG. 41.
 FIG. 43 is a front view of the present design as shown in FIG. 41;
 FIG. 44 is a rear view of the present design as shown in FIG. 41;
 FIG. 45 is a left side view of the present design as shown in FIG. 41;
 FIG. 46 is a right side view of the present design as shown in FIG. 41;
 FIG. 47 is a top, rear, right side perspective view of the present design as shown in FIG. 41;
 FIG. 48 is a top, rear, right side perspective view of a the sample collector illustrating the seventh variant of the present design with the lid shown in the open position, with the tube removed;
 FIG. 49 is a top, front, left side perspective view of the present design of FIG. 41, with the lid shown in the closed position;
 FIG. 50 is a cross-sectional view of the sample collector shown in FIG. 45, taken along the line 50—50 in FIG. 44;
 FIG. 51 is a top plan view of the sample collector illustrating the ninth variant of the present design with the lid shown in the open position;
 FIG. 52 is a bottom plan view of the present design as shown in FIG. 51;
 FIG. 53 is a front view of the present design as shown in FIG. 51;
 FIG. 54 is a rear view of the present design as shown in FIG. 51;
 FIG. 55 is a left side view of the present design as shown in FIG. 51;
 FIG. 56 is a right side view of the present design as shown in FIG. 51;
 FIG. 57 is a top, rear, right side perspective view as shown in FIG. 51;
 FIG. 58 is a top, rear, right side perspective view of the sample collector as shown in FIG. 51, with the tube removed;
 FIG. 59 is a top, front, left side perspective view of the present design of FIG. 51, with the lid shown in the closed position;
 and,
 FIG. 60 is a cross-sectional view of the sample collector shown in FIG. 55, taken along the line 60—60 in FIG. 54.
 The portions of the sample collector shown in stippled lines do not form part of the claimed design.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 53




Fig. 54




Fig. 55




Fig. 56




Fig. 57




Fig. 58




Fig. 59




Fig. 60