



US00D640960S

(12) **United States Design Patent**
Schmitz et al.

(10) **Patent No.:** **US D640,960 S**
(45) **Date of Patent:** **** Jul. 5, 2011**

(54) **INNER PORTION OF A BRAKE ROTOR**

(75) Inventors: **Johann Schmitz**, Wurmlingen (DE);
Ingo Hoffmann, Tuttlingen (DE);
Manfred Pallentien, Engen (DE)

(73) Assignee: **Schwäbische Hüttenwerke Automotive GmbH & Co. KG** (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/366,643**

(22) Filed: **Jul. 28, 2010**

Related U.S. Application Data

(62) Division of application No. 29/306,267, filed on Apr. 4, 2008, now Pat. No. Des. 624,472.

(30) **Foreign Application Priority Data**

Oct. 4, 2007 (DE) 407 04 958

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/180**

(58) **Field of Classification Search** D12/179,
D12/180; 188/218 XL, 264 R, 26, 73, 1,
188/24.22, 73.31-73.43

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,873,974 A * 8/1932 Meyer 416/186 R
4,186,826 A 2/1980 MacKendrick et al.
4,194,597 A 3/1980 Evans et al.
4,428,717 A * 1/1984 Catterfeld 416/186 R
5,181,588 A 1/1993 Emmons
5,249,649 A 10/1993 Emmons
D355,253 S 2/1995 Jansen et al.
5,407,035 A 4/1995 Cole et al.
5,417,313 A 5/1995 Matsuzaki et al.
5,439,081 A 8/1995 Glass

D376,783 S 12/1996 Magalhaes
6,053,290 A 4/2000 Goddard
6,136,374 A 10/2000 Reuscher
D446,756 S 8/2001 York
D456,326 S 4/2002 York
6,371,250 B1 4/2002 Bunker
D458,882 S 6/2002 Oberti
D465,179 S 11/2002 Ballinger
6,523,651 B2 2/2003 Schaus et al.
6,564,913 B2 5/2003 Baumgartner et al.
D476,932 S 7/2003 Fishburn et al.
6,626,273 B1 9/2003 Baumgartner et al.
D482,643 S 11/2003 Gavin
D484,836 S 1/2004 Gavin
6,986,410 B2 1/2006 Simmons et al.
7,028,816 B2 4/2006 Baumgartner et al.
7,066,306 B2 6/2006 Gavin
7,097,006 B2 8/2006 Veneziano et al.
7,097,007 B2 8/2006 Lin
7,159,698 B2 1/2007 Banks et al.
7,219,777 B2 * 5/2007 Lin 188/218 XL
7,219,778 B2 5/2007 Pete et al.
7,228,947 B2 6/2007 Meroni et al.
D565,487 S 4/2008 Zhang
D565,617 S 4/2008 Chang et al.
7,487,862 B2 2/2009 Carlson et al.

(Continued)

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — GrayRobinson, PA

(57)


CLAIM

The ornamental design of an inner portion of a brake rotor, as shown and described.

DESCRIPTION

FIG. 1 is a front-elevational view of an inner portion of a brake rotor;
FIG. 2 is a perspective view of FIG. 1 as viewed from a sidewardly-angled, generally front-elevational view; and,
FIG. 3 is another perspective view thereof, as viewed from a generally side-elevational view.

1 Claim, 3 Drawing Sheets



US D640,960 S

U.S. PATENT DOCUMENTS							
D591,092	S	4/2009	Lenterman	D609,148	S	*	2/2010 Schmitz et al. D12/180
7,543,691	B2	6/2009	Hopkins et al.	D619,521	S	*	7/2010 Schmitz et al. D12/180
D595,738	S	7/2009	Shimokawa	2006/0086579	A1	*	4/2006 Gerber 188/218 XL
7,568,560	B2	8/2009	Lin	2006/0124410	A1		6/2006 Drage
D603,314	S	* 11/2009	Schmitz et al. D12/180	2007/0119667	A1	*	5/2007 Hanna et al. 188/218 XL
D605,099	S	12/2009	Schmitz et al.	2007/0199778	A1	*	8/2007 Lee 188/218 XL
D605,570	S	12/2009	Schmitz et al.	2008/0135359	A1		6/2008 Basirico et al.
D607,795	S	1/2010	Schmitz et al.	2009/0000884	A1		1/2009 Layton et al.
D607,796	S	1/2010	Schmitz et al.	2009/0020379	A1	*	1/2009 Hanna et al. 188/218 XL
D608,706	S	1/2010	Schmitz et al.	2009/0078515	A1	*	3/2009 Xia 188/218 XL
D609,147	S	* 2/2010	Schmitz et al. D12/180	2009/0218183	A1	*	9/2009 Burgoon et al. 188/218 XL
				* cited by examiner			




FIG. 1




FIG.2




FIG.3