



US00D641016S

(12) **United States Design Patent**
Takahashi

(10) **Patent No.:** **US D641,016 S**
(45) **Date of Patent:** **** Jul. 5, 2011**

(54) **ELECTRONIC DISPLAY DEVICE**
(75) Inventor: **Hitoshi Takahashi**, Tokyo (JP)
(73) Assignee: **Sony Corporation**, Tokyo (JP)
(**) Term: **14 Years**

D552,592 S * 10/2007 Deguchi D14/480.7
D557,151 S * 12/2007 Clift D10/65
D561,199 S 2/2008 Morisawa
D564,522 S * 3/2008 Kacin et al. D14/441
D571,798 S * 6/2008 Ogasawara D14/341
D584,302 S 1/2009 Sogabe
D589,510 S 3/2009 Wada

(Continued)

(21) Appl. No.: **29/347,868**
(22) Filed: **Jun. 30, 2010**

Primary Examiner — Cathron Brooks
(74) *Attorney, Agent, or Firm* — Rader, Fishman & Grauer PLLC

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/311,928, filed on Jul. 31, 2009, now Pat. No. Des. 629,798.

(57) **CLAIM**
The ornamental design for a electronic display device, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

May 31, 2010 (CN) 2010 3 0190143
(51) **LOC (9) Cl.** **14-02**
(52) **U.S. Cl.** **D14/341**
(58) **Field of Classification Search** D14/341–347, D14/137, 138, 138.1, 138 AA, 138 R, 138 AB, D14/138 G, 138 A, 496, 426, 429, 129, 130, D14/420, 439–441, 448, 125–126, 147, 156, D14/218, 250, 389, 336, 203.1, 203.3, 203.4, D14/203.7, 315, 388–390, 485–486; D21/324, D21/329, 330; D10/65, 104; 345/169, 901, 345/905, 156, 157, 168, 173; 379/433.04, 379/433.07, 433.11, 916, 433.01, 433.06; 361/680, 686, 679.27, 679.3
See application file for complete search history.


FIG. 1 is a perspective view of an electronic display device, showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof; and
FIG. 6 is a bottom plan view thereof.
FIG. 7 is a perspective view of another embodiment of a electronic display device showing my new design;
FIG. 8 is a front elevational view thereof;
FIG. 9 is a rear elevational view thereof;
FIG. 10 is a right side elevational view thereof;
FIG. 11 is a top plan view thereof; and
FIG. 12 is a bottom plan view thereof.
FIG. 13 is a perspective view of still another embodiment of a electronic display device showing my new design;
FIG. 14 is a front elevational view thereof;
FIG. 15 is a rear elevational view thereof;
FIG. 16 is a right side elevational view thereof;
FIG. 17 is a top plan view thereof; and,
FIG. 18 is a bottom plan view thereof.
The broken lines shown in the drawings are for the purpose of illustrating unclaimed portions of the electronic display device and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D464,961 S 10/2002 Sogabe
D491,942 S 6/2004 Takahashi
D505,428 S 5/2005 Yagihashi
D515,095 S * 2/2006 Breitbarth et al. D14/441
D515,441 S 2/2006 Shindo
D531,070 S * 10/2006 Chun et al. D10/65
D548,234 S 8/2007 Kurihara
D551,664 S * 9/2007 Lin et al. D14/341

1 Claim, 15 Drawing Sheets



US D641,016 S

Page 2

U.S. PATENT DOCUMENTS

D597,320 S *	8/2009	Caine et al.	D6/308	D626,109 S *	10/2010	Kim et al.	D14/138 AD
D602,491 S *	10/2009	Jiang et al.	D14/346	D627,779 S *	11/2010	Liao	D14/341
D605,194 S	12/2009	Hakoda		D629,798 S *	12/2010	Arie et al.	D14/341
D622,250 S *	8/2010	Kwon et al.	D14/138 G	2002/0071550 A1 *	6/2002	Pletikosa	379/433.01

* cited by examiner

FIG. 1




FIG.2




FIG.3




FIG.4



FIG.5




FIG.6



FIG.7




FIG.8




FIG.9




FIG. 10



FIG.11




FIG.12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG.17




FIG.18

