



US00D641039S

(12) **United States Design Patent**
Kimura et al.

(10) **Patent No.:** **US D641,039 S**
(45) **Date of Patent:** **** Jul. 5, 2011**

(54) **PRINTER**

(75) Inventors: **Seiji Kimura**, Shiojiri (JP); **Kanako Nakatani**, Matsumoto (JP); **Tsukasa Abe**, Higashichikuma-gun (JP)

(73) Assignee: **Seiko Epson Corporation** (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/364,018**

(22) Filed: **Jun. 17, 2010**

(30) **Foreign Application Priority Data**

Dec. 18, 2009 (JP) 2009-029460

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D18/55**

(58) **Field of Classification Search** D18/19,
D18/34.1, 36-37, 50, 54, 54.1, 55; D14/420-425,
D14/434, 463-470; 400/613.1-613.4, 690,
400/690.1-690.4, 691-694

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D308,072 S * 5/1990 Salmonson D18/54
D465,236 S 11/2002 Fukasawa et al.
D523,072 S * 6/2006 Lee et al. D18/50

* cited by examiner

Primary Examiner — Cathy A MacCormac

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**

The ornamental design for a printer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a printer embodying our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;


FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines are for illustrative purposes only and do not form part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7