



US00D641313S

(12) **United States Design Patent**
Metzger et al.

(10) **Patent No.:** **US D641,313 S**
(45) **Date of Patent:** **** Jul. 12, 2011**

(54) **TIRE TREAD FOR PNEUMATIC TIRE**

(75) Inventors: **Julien Metzger**, Clermont-Ferrand (FR);
Benjamin Quantinet, Clermont-Ferrand (FR);
Fabien Chatignoux, Chatel-Guyon (FR)

(73) Assignees: **Societe de Technologie Michelin**,
Clermont-Ferrand (FR); **Michelin Recherche et Technique S.A.**,
Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/381,016**

(22) Filed: **Dec. 14, 2010**

(30) **Foreign Application Priority Data**

Jun. 15, 2010 (FR) 10/3197

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/600**

(58) **Field of Classification Search** D12/900-901,
D12/568-603, 563-567; 152/209.1-209.28,
152/455

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D388,040 S	12/1997	De Barsy	
D414,729 S *	10/1999	Brown et al.	D12/601
D422,950 S	4/2000	Williams	
D449,801 S *	10/2001	Dumigan et al.	D12/601
D451,059 S *	11/2001	Guspodin et al.	D12/601
D456,769 S *	5/2002	Dixon et al.	D12/600
D457,853 S	5/2002	Lopez	
D458,584 S	6/2002	Young et al.	
D462,652 S	9/2002	Lopez	

D473,843 S	4/2003	Le et al.	
D481,353 S *	10/2003	Oliver et al.	D12/600
D503,921 S	4/2005	Yamaura	
D526,954 S	8/2006	Godeau	
D541,737 S *	5/2007	Cazin-Bourguignon et al.	D12/600
D554,055 S *	10/2007	Beauguitte et al.	D12/600
D600,635 S *	9/2009	Finnell et al.	D12/601
D609,175 S *	2/2010	Feider et al.	D12/600
D627,713 S *	11/2010	Le et al.	D12/600
D631,001 S *	1/2011	Hughes et al.	D12/601

OTHER PUBLICATIONS

U.S. Appl. No. 29/300,742, filed May 1, 2008 in the name of Julien Metzger entitled Pneumatic Tire.

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Buchanan Ingersoll & Rooney PC

(57) **CLAIM**

The ornamental design for a tire tread for pneumatic tire, as shown and described.

DESCRIPTION



FIG. 1 is a perspective view of a tire tread for pneumatic tire showing our new design, it being understood that the tread pattern repeats circumferentially about the outer circumference and shoulder of the tire.

FIG. 2 is a left side elevational view, the right side elevational view being a mirror image thereof; and,

FIG. 3 is a front elevational view, the rear elevational view being a mirror image thereof.

The broken line disclosure of the tire sidewall and inner bead depicts environmental subject matter that forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3